

Product Manual

Accent 100 Directional Type 1



IILUS

Accent 100 Directional Type 1





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with tapered detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0-30° Tilt
Cut-Out	92mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent

Directional Type 1



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 001100.011	100 10 001101.011	100 10 001102.011	○	White	Fixed Output
	100 10 001100.021	100 10 001101.021	100 10 001102.021	●	Black	Fixed Output
	100 10 001100.012	100 10 001101.012	100 10 001102.012	○	White	Phase DIM
	100 10 001100.022	100 10 001101.022	100 10 001102.022	●	Black	Phase DIM
	100 10 001100.013	100 10 001101.013	100 10 001102.013	○	White	DALI
	100 10 001100.023	100 10 001101.023	100 10 001102.023	●	Black	DALI
8W 3000°K	100 10 001103.011	100 10 001104.011	100 10 001105.011	○	White	Fixed Output
	100 10 001103.021	100 10 001104.021	100 10 001105.021	●	Black	Fixed Output
	100 10 001103.012	100 10 001104.012	100 10 001105.012	○	White	Phase DIM
	100 10 001103.022	100 10 001104.022	100 10 001105.022	●	Black	Phase DIM
	100 10 001103.013	100 10 001104.013	100 10 001105.013	○	White	DALI
	100 10 001103.023	100 10 001104.023	100 10 001105.023	●	Black	DALI
8W 4000°K	100 10 001106.011	100 10 001107.011	100 10 001108.011	○	White	Fixed Output
	100 10 001106.021	100 10 001107.021	100 10 001108.021	●	Black	Fixed Output
	100 10 001106.012	100 10 001107.012	100 10 001108.012	○	White	Phase DIM
	100 10 001106.022	100 10 001107.022	100 10 001108.022	●	Black	Phase DIM
	100 10 001106.013	100 10 001107.013	100 10 001108.013	○	White	DALI
	100 10 001106.023	100 10 001107.023	100 10 001108.023	●	Black	DALI
7W 2700-1800°K	100 10 001109.011	100 10 001110.011	100 10 001111.011	○	White	Fixed Output
	100 10 001109.021	100 10 001110.021	100 10 001111.021	●	Black	Fixed Output
	100 10 001109.012	100 10 001110.012	100 10 001111.012	○	White	Phase DIM
	100 10 001109.022	100 10 001110.022	100 10 001111.022	●	Black	Phase DIM
	100 10 001109.013	100 10 001110.013	100 10 001111.013	○	White	DALI
	100 10 001109.023	100 10 001110.023	100 10 001111.023	●	Black	DALI
14W 2700°K	100 10 001112.011	100 10 001113.011	100 10 001114.011	○	White	Fixed Output
	100 10 001112.021	100 10 001113.021	100 10 001114.021	●	Black	Fixed Output
	100 10 001112.012	100 10 001113.012	100 10 001114.012	○	White	Phase DIM
	100 10 001112.022	100 10 001113.022	100 10 001114.022	●	Black	Phase DIM
	100 10 001112.013	100 10 001113.013	100 10 001114.013	○	White	DALI
	100 10 001112.023	100 10 001113.023	100 10 001114.023	●	Black	DALI
14W 3000°K	100 10 001115.011	100 10 001116.011	100 10 001117.011	○	White	Fixed Output
	100 10 001115.021	100 10 001116.021	100 10 001117.021	●	Black	Fixed Output
	100 10 001115.012	100 10 001116.012	100 10 001117.012	○	White	Phase DIM
	100 10 001115.022	100 10 001116.022	100 10 001117.022	●	Black	Phase DIM
	100 10 001115.013	100 10 001116.013	100 10 001117.013	○	White	DALI
	100 10 001115.023	100 10 001116.023	100 10 001117.023	●	Black	DALI
14W 4000°K	100 10 001118.011	100 10 001119.011	100 10 001120.011	○	White	Fixed Output
	100 10 001118.021	100 10 001119.021	100 10 001120.021	●	Black	Fixed Output
	100 10 001118.012	100 10 001119.012	100 10 001120.012	○	White	Phase DIM
	100 10 001118.022	100 10 001119.022	100 10 001120.022	●	Black	Phase DIM
	100 10 001118.013	100 10 001119.013	100 10 001120.013	○	White	DALI
	100 10 001118.023	100 10 001119.023	100 10 001120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com