

Product Manual

Accent 100 Directional Type 3



Accent 100 Directional Type 3





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0-30° Tilt
Cut-Out	92mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent

Directional Type 3



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 001300.011	100 10 001301.011	100 10 001302.011	○	White	Fixed Output
	100 10 001300.021	100 10 001301.021	100 10 001302.021	●	Black	Fixed Output
	100 10 001300.012	100 10 001301.012	100 10 001302.012	○	White	Phase DIM
	100 10 001300.022	100 10 001301.022	100 10 001302.022	●	Black	Phase DIM
	100 10 001300.013	100 10 001301.013	100 10 001302.013	○	White	DALI
	100 10 001300.023	100 10 001301.023	100 10 001302.023	●	Black	DALI
8W 3000°K	100 10 001303.011	100 10 001304.011	100 10 001305.011	○	White	Fixed Output
	100 10 001303.021	100 10 001304.021	100 10 001305.021	●	Black	Fixed Output
	100 10 001303.012	100 10 001304.012	100 10 001305.012	○	White	Phase DIM
	100 10 001303.022	100 10 001304.022	100 10 001305.022	●	Black	Phase DIM
	100 10 001303.013	100 10 001304.013	100 10 001305.013	○	White	DALI
	100 10 001303.023	100 10 001304.023	100 10 001305.023	●	Black	DALI
8W 4000°K	100 10 001306.011	100 10 001307.011	100 10 001308.011	○	White	Fixed Output
	100 10 001306.021	100 10 001307.021	100 10 001308.021	●	Black	Fixed Output
	100 10 001306.012	100 10 001307.012	100 10 001308.012	○	White	Phase DIM
	100 10 001306.022	100 10 001307.022	100 10 001308.022	●	Black	Phase DIM
	100 10 001306.013	100 10 001307.013	100 10 001308.013	○	White	DALI
	100 10 001306.023	100 10 001307.023	100 10 001308.023	●	Black	DALI
7W 2700-1800°K	100 10 001309.011	100 10 001310.011	100 10 001311.011	○	White	Fixed Output
	100 10 001309.021	100 10 001310.021	100 10 001311.021	●	Black	Fixed Output
	100 10 001309.012	100 10 001310.012	100 10 001311.012	○	White	Phase DIM
	100 10 001309.022	100 10 001310.022	100 10 001311.022	●	Black	Phase DIM
	100 10 001309.013	100 10 001310.013	100 10 001311.013	○	White	DALI
	100 10 001309.023	100 10 001310.023	100 10 001311.023	●	Black	DALI
14W 2700°K	100 10 001312.011	100 10 001313.011	100 10 001314.011	○	White	Fixed Output
	100 10 001312.021	100 10 001313.021	100 10 001314.021	●	Black	Fixed Output
	100 10 001312.012	100 10 001313.012	100 10 001314.012	○	White	Phase DIM
	100 10 001312.022	100 10 001313.022	100 10 001314.022	●	Black	Phase DIM
	100 10 001312.013	100 10 001313.013	100 10 001314.013	○	White	DALI
	100 10 001312.023	100 10 001313.023	100 10 001314.023	●	Black	DALI
14W 3000°K	100 10 001315.011	100 10 001316.011	100 10 001317.011	○	White	Fixed Output
	100 10 001315.021	100 10 001316.021	100 10 001317.021	●	Black	Fixed Output
	100 10 001315.012	100 10 001316.012	100 10 001317.012	○	White	Phase DIM
	100 10 001315.022	100 10 001316.022	100 10 001317.022	●	Black	Phase DIM
	100 10 001315.013	100 10 001316.013	100 10 001317.013	○	White	DALI
	100 10 001315.023	100 10 001316.023	100 10 001317.023	●	Black	DALI
14W 4000°K	100 10 001318.011	100 10 001319.011	100 10 001320.011	○	White	Fixed Output
	100 10 001318.021	100 10 001319.021	100 10 001320.021	●	Black	Fixed Output
	100 10 001318.012	100 10 001319.012	100 10 001320.012	○	White	Phase DIM
	100 10 001318.022	100 10 001319.022	100 10 001320.022	●	Black	Phase DIM
	100 10 001318.013	100 10 001319.013	100 10 001320.013	○	White	DALI
	100 10 001318.023	100 10 001319.023	100 10 001320.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com