

Product Manual

Accent 100 Trimless Fixed Type 2



IILUS

Accent 100 Trimless Fixed Type 2





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent

Fixed Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 003200.011	100 10 003201.011	100 10 003202.011	○	White	Fixed Output
	100 10 003200.021	100 10 003201.021	100 10 003202.021	●	Black	Fixed Output
	100 10 003200.012	100 10 003201.012	100 10 003202.012	○	White	Phase DIM
	100 10 003200.022	100 10 003201.022	100 10 003202.022	●	Black	Phase DIM
	100 10 003200.013	100 10 003201.013	100 10 003202.013	○	White	DALI
	100 10 003200.023	100 10 003201.023	100 10 003202.023	●	Black	DALI
8W 3000°K	100 10 003203.011	100 10 003204.011	100 10 003205.011	○	White	Fixed Output
	100 10 003203.021	100 10 003204.021	100 10 003205.021	●	Black	Fixed Output
	100 10 003203.012	100 10 003204.012	100 10 003205.012	○	White	Phase DIM
	100 10 003203.022	100 10 003204.022	100 10 003205.022	●	Black	Phase DIM
	100 10 003203.013	100 10 003204.013	100 10 003205.013	○	White	DALI
	100 10 003203.023	100 10 003204.023	100 10 003205.023	●	Black	DALI
8W 4000°K	100 10 003206.011	100 10 003207.011	100 10 003208.011	○	White	Fixed Output
	100 10 003206.021	100 10 003207.021	100 10 003208.021	●	Black	Fixed Output
	100 10 003206.012	100 10 003207.012	100 10 003208.012	○	White	Phase DIM
	100 10 003206.022	100 10 003207.022	100 10 003208.022	●	Black	Phase DIM
	100 10 003206.013	100 10 003207.013	100 10 003208.013	○	White	DALI
	100 10 003206.023	100 10 003207.023	100 10 003208.023	●	Black	DALI
7W 2700-1800°K	100 10 003209.011	100 10 003210.011	100 10 003211.011	○	White	Fixed Output
	100 10 003209.021	100 10 003210.021	100 10 003211.021	●	Black	Fixed Output
	100 10 003209.012	100 10 003210.012	100 10 003211.012	○	White	Phase DIM
	100 10 003209.022	100 10 003210.022	100 10 003211.022	●	Black	Phase DIM
	100 10 003209.013	100 10 003210.013	100 10 003211.013	○	White	DALI
	100 10 003209.023	100 10 003210.023	100 10 003211.023	●	Black	DALI
14W 2700°K	100 10 003212.011	100 10 003213.011	100 10 003214.011	○	White	Fixed Output
	100 10 003212.021	100 10 003213.021	100 10 003214.021	●	Black	Fixed Output
	100 10 003212.012	100 10 003213.012	100 10 003214.012	○	White	Phase DIM
	100 10 003212.022	100 10 003213.022	100 10 003214.022	●	Black	Phase DIM
	100 10 003212.013	100 10 003213.013	100 10 003214.013	○	White	DALI
	100 10 003212.023	100 10 003213.023	100 10 003214.023	●	Black	DALI
14W 3000°K	100 10 003215.011	100 10 003216.011	100 10 003217.011	○	White	Fixed Output
	100 10 003215.021	100 10 003216.021	100 10 003217.021	●	Black	Fixed Output
	100 10 003215.012	100 10 003216.012	100 10 003217.012	○	White	Phase DIM
	100 10 003215.022	100 10 003216.022	100 10 003217.022	●	Black	Phase DIM
	100 10 003215.013	100 10 003216.013	100 10 003217.013	○	White	DALI
	100 10 003215.023	100 10 003216.023	100 10 003217.023	●	Black	DALI
14W 4000°K	100 10 003218.011	100 10 003219.011	100 10 003220.011	○	White	Fixed Output
	100 10 003218.021	100 10 003219.021	100 10 003220.021	●	Black	Fixed Output
	100 10 003218.012	100 10 003219.012	100 10 003220.012	○	White	Phase DIM
	100 10 003218.022	100 10 003219.022	100 10 003220.022	●	Black	Phase DIM
	100 10 003218.013	100 10 003219.013	100 10 003220.013	○	White	DALI
	100 10 003218.023	100 10 003219.023	100 10 003220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com