

Product Manual

Accent 100 Trimless Fixed Type 3



IILUS

Accent 100 Trimless Fixed Type 3





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent Trimless

Fixed Type 3



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 003300.011	100 10 003301.011	100 10 003302.011	○	White	Fixed Output
	100 10 003300.021	100 10 003301.021	100 10 003302.021	●	Black	Fixed Output
	100 10 003300.012	100 10 003301.012	100 10 003302.012	○	White	Phase DIM
	100 10 003300.022	100 10 003301.022	100 10 003302.022	●	Black	Phase DIM
	100 10 003300.013	100 10 003301.013	100 10 003302.013	○	White	DALI
	100 10 003300.023	100 10 003301.023	100 10 003302.023	●	Black	DALI
8W 3000°K	100 10 003303.011	100 10 003304.011	100 10 003305.011	○	White	Fixed Output
	100 10 003303.021	100 10 003304.021	100 10 003305.021	●	Black	Fixed Output
	100 10 003303.012	100 10 003304.012	100 10 003305.012	○	White	Phase DIM
	100 10 003303.022	100 10 003304.022	100 10 003305.022	●	Black	Phase DIM
	100 10 003303.013	100 10 003304.013	100 10 003305.013	○	White	DALI
	100 10 003303.023	100 10 003304.023	100 10 003305.023	●	Black	DALI
8W 4000°K	100 10 003306.011	100 10 003307.011	100 10 003308.011	○	White	Fixed Output
	100 10 003306.021	100 10 003307.021	100 10 003308.021	●	Black	Fixed Output
	100 10 003306.012	100 10 003307.012	100 10 003308.012	○	White	Phase DIM
	100 10 003306.022	100 10 003307.022	100 10 003308.022	●	Black	Phase DIM
	100 10 003306.013	100 10 003307.013	100 10 003308.013	○	White	DALI
	100 10 003306.023	100 10 003307.023	100 10 003308.023	●	Black	DALI
7W 2700-1800°K	100 10 003309.011	100 10 003310.011	100 10 003311.011	○	White	Fixed Output
	100 10 003309.021	100 10 003310.021	100 10 003311.021	●	Black	Fixed Output
	100 10 003309.012	100 10 003310.012	100 10 003311.012	○	White	Phase DIM
	100 10 003309.022	100 10 003310.022	100 10 003311.022	●	Black	Phase DIM
	100 10 003309.013	100 10 003310.013	100 10 003311.013	○	White	DALI
	100 10 003309.023	100 10 003310.023	100 10 003311.023	●	Black	DALI
14W 2700°K	100 10 003312.011	100 10 003313.011	100 10 003314.011	○	White	Fixed Output
	100 10 003312.021	100 10 003313.021	100 10 003314.021	●	Black	Fixed Output
	100 10 003312.012	100 10 003313.012	100 10 003314.012	○	White	Phase DIM
	100 10 003312.022	100 10 003313.022	100 10 003314.022	●	Black	Phase DIM
	100 10 003312.013	100 10 003313.013	100 10 003314.013	○	White	DALI
	100 10 003312.023	100 10 003313.023	100 10 003302.023	●	Black	DALI
14W 3000°K	100 10 003315.011	100 10 003316.011	100 10 003317.011	○	White	Fixed Output
	100 10 003315.021	100 10 003316.021	100 10 003317.021	●	Black	Fixed Output
	100 10 003315.012	100 10 003316.012	100 10 003317.012	○	White	Phase DIM
	100 10 003315.022	100 10 003316.022	100 10 003317.022	●	Black	Phase DIM
	100 10 003315.013	100 10 003316.013	100 10 003317.013	○	White	DALI
	100 10 003315.023	100 10 003316.023	100 10 003317.023	●	Black	DALI
14W 4000°K	100 10 003318.011	100 10 003319.011	100 10 003320.011	○	White	Fixed Output
	100 10 003318.021	100 10 003319.021	100 10 003320.021	●	Black	Fixed Output
	100 10 003318.012	100 10 003319.012	100 10 003320.012	○	White	Phase DIM
	100 10 003318.022	100 10 003319.022	100 10 003320.022	●	Black	Phase DIM
	100 10 003318.013	100 10 003319.013	100 10 003320.013	○	White	DALI
	100 10 003318.023	100 10 003319.023	100 10 003320.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com