

Product Manual

Accent 100 Trimless Directional Type 2



Accent 100 Trimless Directional Type 2



Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0-30° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent Trimless

Directional Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 004200.011	100 10 004201.011	100 10 004202.011	○	White	Fixed Output
	100 10 004200.021	100 10 004201.021	100 10 004202.021	●	Black	Fixed Output
	100 10 004200.012	100 10 004201.012	100 10 004202.012	○	White	Phase DIM
	100 10 004200.022	100 10 004201.022	100 10 004202.022	●	Black	Phase DIM
	100 10 004200.013	100 10 004201.013	100 10 004202.013	○	White	DALI
	100 10 004200.023	100 10 004201.023	100 10 004202.023	●	Black	DALI
8W 3000°K	100 10 004203.011	100 10 004204.011	100 10 004205.011	○	White	Fixed Output
	100 10 004203.021	100 10 004204.021	100 10 004205.021	●	Black	Fixed Output
	100 10 004203.012	100 10 004204.012	100 10 004205.012	○	White	Phase DIM
	100 10 004203.022	100 10 004204.022	100 10 004205.022	●	Black	Phase DIM
	100 10 004203.013	100 10 004204.013	100 10 004205.013	○	White	DALI
	100 10 004203.023	100 10 004204.023	100 10 004205.023	●	Black	DALI
8W 4000°K	100 10 004206.011	100 10 004207.011	100 10 004208.011	○	White	Fixed Output
	100 10 004206.021	100 10 004207.021	100 10 004208.021	●	Black	Fixed Output
	100 10 004206.012	100 10 004207.012	100 10 004208.012	○	White	Phase DIM
	100 10 004206.022	100 10 004207.022	100 10 004208.022	●	Black	Phase DIM
	100 10 004206.013	100 10 004207.013	100 10 004208.013	○	White	DALI
	100 10 004206.023	100 10 004207.023	100 10 004208.023	●	Black	DALI
7W 2700-1800°K	100 10 004209.011	100 10 004210.011	100 10 004211.011	○	White	Fixed Output
	100 10 004209.021	100 10 004210.021	100 10 004211.021	●	Black	Fixed Output
	100 10 004209.012	100 10 004210.012	100 10 004211.012	○	White	Phase DIM
	100 10 004209.022	100 10 004210.022	100 10 004211.022	●	Black	Phase DIM
	100 10 004209.013	100 10 004210.013	100 10 004211.013	○	White	DALI
	100 10 004209.023	100 10 004210.023	100 10 004211.023	●	Black	DALI
14W 2700°K	100 10 004212.011	100 10 004213.011	100 10 004214.011	○	White	Fixed Output
	100 10 004212.021	100 10 004213.021	100 10 004214.021	●	Black	Fixed Output
	100 10 004212.012	100 10 004213.012	100 10 004214.012	○	White	Phase DIM
	100 10 004212.022	100 10 004213.022	100 10 004214.022	●	Black	Phase DIM
	100 10 004212.013	100 10 004213.013	100 10 004214.013	○	White	DALI
	100 10 004212.023	100 10 004213.023	100 10 004202.023	●	Black	DALI
14W 3000°K	100 10 004215.011	100 10 004216.011	100 10 004217.011	○	White	Fixed Output
	100 10 004215.021	100 10 004216.021	100 10 004217.021	●	Black	Fixed Output
	100 10 004215.012	100 10 004216.012	100 10 004217.012	○	White	Phase DIM
	100 10 004215.022	100 10 004216.022	100 10 004217.022	●	Black	Phase DIM
	100 10 004215.013	100 10 004216.013	100 10 004217.013	○	White	DALI
	100 10 004215.023	100 10 004216.023	100 10 004217.023	●	Black	DALI
14W 4000°K	100 10 004218.011	100 10 004219.011	100 10 004220.011	○	White	Fixed Output
	100 10 004218.021	100 10 004219.021	100 10 004220.021	●	Black	Fixed Output
	100 10 004218.012	100 10 004219.012	100 10 004220.012	○	White	Phase DIM
	100 10 004218.022	100 10 004219.022	100 10 004220.022	●	Black	Phase DIM
	100 10 004218.013	100 10 004219.013	100 10 004220.013	○	White	DALI
	100 10 004218.023	100 10 004219.023	100 10 004220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com