

Product Manual

Accent 100 IP Fixed Type 1



IILUS

Accent 100 IP Fixed Type 1






Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade aluminium with nano-ceramic pre-treatment and tapered detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	92mm Round x 95-115mm (7W/8W) / 135-155mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent IP

Fixed Type 1



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 006100.011	100 10 006101.011	100 10 006102.011	○	White	Fixed Output
	100 10 006100.021	100 10 006101.021	100 10 006102.021	●	Black	Fixed Output
	100 10 006100.012	100 10 006101.012	100 10 006102.012	○	White	Phase DIM
	100 10 006100.022	100 10 006101.022	100 10 006102.022	●	Black	Phase DIM
	100 10 006100.013	100 10 006101.013	100 10 006102.013	○	White	DALI
	100 10 006100.023	100 10 006101.023	100 10 006102.023	●	Black	DALI
8W 3000°K	100 10 006103.011	100 10 006104.011	100 10 006105.011	○	White	Fixed Output
	100 10 006103.021	100 10 006104.021	100 10 006105.021	●	Black	Fixed Output
	100 10 006103.012	100 10 006104.012	100 10 006105.012	○	White	Phase DIM
	100 10 006103.022	100 10 006104.022	100 10 006105.022	●	Black	Phase DIM
	100 10 006103.013	100 10 006104.013	100 10 006105.013	○	White	DALI
	100 10 006103.023	100 10 006104.023	100 10 006105.023	●	Black	DALI
8W 4000°K	100 10 006106.011	100 10 006107.011	100 10 006108.011	○	White	Fixed Output
	100 10 006106.021	100 10 006107.021	100 10 006108.021	●	Black	Fixed Output
	100 10 006106.012	100 10 006107.012	100 10 006108.012	○	White	Phase DIM
	100 10 006106.022	100 10 006107.022	100 10 006108.022	●	Black	Phase DIM
	100 10 006106.013	100 10 006107.013	100 10 006108.013	○	White	DALI
	100 10 006106.023	100 10 006107.023	100 10 006108.023	●	Black	DALI
7W 2700-1800°K	100 10 006109.011	100 10 006110.011	100 10 006111.011	○	White	Fixed Output
	100 10 006109.021	100 10 006110.021	100 10 006111.021	●	Black	Fixed Output
	100 10 006109.012	100 10 006110.012	100 10 006111.012	○	White	Phase DIM
	100 10 006109.022	100 10 006110.022	100 10 006111.022	●	Black	Phase DIM
	100 10 006109.013	100 10 006110.013	100 10 006111.013	○	White	DALI
	100 10 006109.023	100 10 006110.023	100 10 006111.023	●	Black	DALI
14W 2700°K	100 10 006112.011	100 10 006113.011	100 10 006114.011	○	White	Fixed Output
	100 10 006112.021	100 10 006113.021	100 10 006114.021	●	Black	Fixed Output
	100 10 006112.012	100 10 006113.012	100 10 006114.012	○	White	Phase DIM
	100 10 006112.022	100 10 006113.022	100 10 006114.022	●	Black	Phase DIM
	100 10 006112.013	100 10 006113.013	100 10 006114.013	○	White	DALI
	100 10 006112.023	100 10 006113.023	100 10 006114.023	●	Black	DALI
14W 3000°K	100 10 006115.011	100 10 006116.011	100 10 006117.011	○	White	Fixed Output
	100 10 006115.021	100 10 006116.021	100 10 006117.021	●	Black	Fixed Output
	100 10 006115.012	100 10 006116.012	100 10 006117.012	○	White	Phase DIM
	100 10 006115.022	100 10 006116.022	100 10 006117.022	●	Black	Phase DIM
	100 10 006115.013	100 10 006116.013	100 10 006117.013	○	White	DALI
	100 10 006115.023	100 10 006116.023	100 10 006117.023	●	Black	DALI
14W 4000°K	100 10 006118.011	100 10 006119.011	100 10 006120.011	○	White	Fixed Output
	100 10 006118.021	100 10 006119.021	100 10 006120.021	●	Black	Fixed Output
	100 10 006118.012	100 10 006119.012	100 10 006120.012	○	White	Phase DIM
	100 10 006118.022	100 10 006119.022	100 10 006120.022	●	Black	Phase DIM
	100 10 006118.013	100 10 006119.013	100 10 006120.013	○	White	DALI
	100 10 006118.023	100 10 006119.023	100 10 006120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com