

Product Manual

Accent 100 IP Fixed Type 2



IILUS

Accent 100 IP Fixed Type 2





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade aluminium with nano-ceramic pre-treatment and with expressed detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	92mm Round x 95-115mm (7W/8W) / 135-155mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent IP

Fixed Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 006200.011	100 10 006201.011	100 10 006202.011	○	White	Fixed Output
	100 10 006200.021	100 10 006201.021	100 10 006202.021	●	Black	Fixed Output
	100 10 006200.012	100 10 006201.012	100 10 006202.012	○	White	Phase DIM
	100 10 006200.022	100 10 006201.022	100 10 006202.022	●	Black	Phase DIM
	100 10 006200.013	100 10 006201.013	100 10 006202.013	○	White	DALI
	100 10 006200.023	100 10 006201.023	100 10 006202.023	●	Black	DALI
8W 3000°K	100 10 006203.011	100 10 006204.011	100 10 006205.011	○	White	Fixed Output
	100 10 006203.021	100 10 006204.021	100 10 006205.021	●	Black	Fixed Output
	100 10 006203.012	100 10 006204.012	100 10 006205.012	○	White	Phase DIM
	100 10 006203.022	100 10 006204.022	100 10 006205.022	●	Black	Phase DIM
	100 10 006203.013	100 10 006204.013	100 10 006205.013	○	White	DALI
	100 10 006203.023	100 10 006204.023	100 10 006205.023	●	Black	DALI
8W 4000°K	100 10 006206.011	100 10 006207.011	100 10 006208.011	○	White	Fixed Output
	100 10 006206.021	100 10 006207.021	100 10 006208.021	●	Black	Fixed Output
	100 10 006206.012	100 10 006207.012	100 10 006208.012	○	White	Phase DIM
	100 10 006206.022	100 10 006207.022	100 10 006208.022	●	Black	Phase DIM
	100 10 006206.013	100 10 006207.013	100 10 006208.013	○	White	DALI
	100 10 006206.023	100 10 006207.023	100 10 006208.023	●	Black	DALI
7W 2700-1800°K	100 10 006209.011	100 10 006210.011	100 10 006211.011	○	White	Fixed Output
	100 10 006209.021	100 10 006210.021	100 10 006211.021	●	Black	Fixed Output
	100 10 006209.012	100 10 006210.012	100 10 006211.012	○	White	Phase DIM
	100 10 006209.022	100 10 006210.022	100 10 006211.022	●	Black	Phase DIM
	100 10 006209.013	100 10 006210.013	100 10 006211.013	○	White	DALI
	100 10 006209.023	100 10 006210.023	100 10 006211.023	●	Black	DALI
14W 2700°K	100 10 006212.011	100 10 006213.011	100 10 006214.011	○	White	Fixed Output
	100 10 006212.021	100 10 006213.021	100 10 006214.021	●	Black	Fixed Output
	100 10 006212.012	100 10 006213.012	100 10 006214.012	○	White	Phase DIM
	100 10 006212.022	100 10 006213.022	100 10 006214.022	●	Black	Phase DIM
	100 10 006212.013	100 10 006213.013	100 10 006214.013	○	White	DALI
	100 10 006212.023	100 10 006213.023	100 10 006214.023	●	Black	DALI
14W 3000°K	100 10 006215.011	100 10 006216.011	100 10 006217.011	○	White	Fixed Output
	100 10 006215.021	100 10 006216.021	100 10 006217.021	●	Black	Fixed Output
	100 10 006215.012	100 10 006216.012	100 10 006217.012	○	White	Phase DIM
	100 10 006215.022	100 10 006216.022	100 10 006217.022	●	Black	Phase DIM
	100 10 006215.013	100 10 006216.013	100 10 006217.013	○	White	DALI
	100 10 006215.023	100 10 006216.023	100 10 006217.023	●	Black	DALI
14W 4000°K	100 10 006218.011	100 10 006219.011	100 10 006220.011	○	White	Fixed Output
	100 10 006218.021	100 10 006219.021	100 10 006220.021	●	Black	Fixed Output
	100 10 006218.012	100 10 006219.012	100 10 006220.012	○	White	Phase DIM
	100 10 006218.022	100 10 006219.022	100 10 006220.022	●	Black	Phase DIM
	100 10 006218.013	100 10 006219.013	100 10 006220.013	○	White	DALI
	100 10 006218.023	100 10 006219.023	100 10 006220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com