

Product Manual

Accent 100 IP Asymmetrical Type 1



Accent 100 IP Asymmetrical Type 1






Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, asymmetrical orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with tapered detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Fixed Tilt
Cut-Out	92mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent IP

Asymmetrical Type 1



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 008100.011	100 10 008101.011	100 10 008102.011	○	White	Fixed Output
	100 10 008100.021	100 10 008101.021	100 10 008102.021	●	Black	Fixed Output
	100 10 008100.012	100 10 008101.012	100 10 008102.012	○	White	Phase DIM
	100 10 008100.022	100 10 008101.022	100 10 008102.022	●	Black	Phase DIM
	100 10 008100.013	100 10 008101.013	100 10 008102.013	○	White	DALI
	100 10 008100.023	100 10 008101.023	100 10 008102.023	●	Black	DALI
8W 3000°K	100 10 008103.011	100 10 008104.011	100 10 008105.011	○	White	Fixed Output
	100 10 008103.021	100 10 008104.021	100 10 008105.021	●	Black	Fixed Output
	100 10 008103.012	100 10 008104.012	100 10 008105.012	○	White	Phase DIM
	100 10 008103.022	100 10 008104.022	100 10 008105.022	●	Black	Phase DIM
	100 10 008103.013	100 10 008104.013	100 10 008105.013	○	White	DALI
	100 10 008103.023	100 10 008104.023	100 10 008105.023	●	Black	DALI
8W 4000°K	100 10 008106.011	100 10 008107.011	100 10 008108.011	○	White	Fixed Output
	100 10 008106.021	100 10 008107.021	100 10 008108.021	●	Black	Fixed Output
	100 10 008106.012	100 10 008107.012	100 10 008108.012	○	White	Phase DIM
	100 10 008106.022	100 10 008107.022	100 10 008108.022	●	Black	Phase DIM
	100 10 008106.013	100 10 008107.013	100 10 008108.013	○	White	DALI
	100 10 008106.023	100 10 008107.023	100 10 008108.023	●	Black	DALI
7W 2700-1800°K	100 10 008109.011	100 10 008110.011	100 10 008111.011	○	White	Fixed Output
	100 10 008109.021	100 10 008110.021	100 10 008111.021	●	Black	Fixed Output
	100 10 008109.012	100 10 008110.012	100 10 008111.012	○	White	Phase DIM
	100 10 008109.022	100 10 008110.022	100 10 008111.022	●	Black	Phase DIM
	100 10 008109.013	100 10 008110.013	100 10 008111.013	○	White	DALI
	100 10 008109.023	100 10 008110.023	100 10 008111.023	●	Black	DALI
14W 2700°K	100 10 008112.011	100 10 008113.011	100 10 008114.011	○	White	Fixed Output
	100 10 008112.021	100 10 008113.021	100 10 008114.021	●	Black	Fixed Output
	100 10 008112.012	100 10 008113.012	100 10 008114.012	○	White	Phase DIM
	100 10 008112.022	100 10 008113.022	100 10 008114.022	●	Black	Phase DIM
	100 10 008112.013	100 10 008113.013	100 10 008114.013	○	White	DALI
	100 10 008112.023	100 10 008113.023	100 10 008114.023	●	Black	DALI
14W 3000°K	100 10 008115.011	100 10 008116.011	100 10 008117.011	○	White	Fixed Output
	100 10 008115.021	100 10 008116.021	100 10 008117.021	●	Black	Fixed Output
	100 10 008115.012	100 10 008116.012	100 10 008117.012	○	White	Phase DIM
	100 10 008115.022	100 10 008116.022	100 10 008117.022	●	Black	Phase DIM
	100 10 008115.013	100 10 008116.013	100 10 008117.013	○	White	DALI
	100 10 008115.023	100 10 008116.023	100 10 008117.023	●	Black	DALI
14W 4000°K	100 10 008118.011	100 10 008119.011	100 10 008120.011	○	White	Fixed Output
	100 10 008118.021	100 10 008119.021	100 10 008120.021	●	Black	Fixed Output
	100 10 008118.012	100 10 008119.012	100 10 008120.012	○	White	Phase DIM
	100 10 008118.022	100 10 008119.022	100 10 008120.022	●	Black	Phase DIM
	100 10 008118.013	100 10 008119.013	100 10 008120.013	○	White	DALI
	100 10 008118.023	100 10 008119.023	100 10 008120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com