

Product Manual

Accent 100 IP Trimless Fixed Type 2



IILUS

Accent 100 IP Trimless Fixed Type 2





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade aluminium with nano-ceramic pre-treatment and rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent IP Trimless

Fixed Type 2



Page — 04

Accentl References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 009200.011	100 10 009201.011	100 10 009202.011	○	White	Fixed Output
	100 10 009200.021	100 10 009201.021	100 10 009202.021	●	Black	Fixed Output
	100 10 009200.012	100 10 009201.012	100 10 009202.012	○	White	Phase DIM
	100 10 009200.022	100 10 009201.022	100 10 009202.022	●	Black	Phase DIM
	100 10 009200.013	100 10 009201.013	100 10 009202.013	○	White	DALI
	100 10 009200.023	100 10 009201.023	100 10 009202.023	●	Black	DALI
8W 3000°K	100 10 009203.011	100 10 009204.011	100 10 009205.011	○	White	Fixed Output
	100 10 009203.021	100 10 009204.021	100 10 009205.021	●	Black	Fixed Output
	100 10 009203.012	100 10 009204.012	100 10 009205.012	○	White	Phase DIM
	100 10 009203.022	100 10 009204.022	100 10 009205.022	●	Black	Phase DIM
	100 10 009203.013	100 10 009204.013	100 10 009205.013	○	White	DALI
	100 10 009203.023	100 10 009204.023	100 10 009205.023	●	Black	DALI
8W 4000°K	100 10 009206.011	100 10 009207.011	100 10 009208.011	○	White	Fixed Output
	100 10 009206.021	100 10 009207.021	100 10 009208.021	●	Black	Fixed Output
	100 10 009206.012	100 10 009207.012	100 10 009208.012	○	White	Phase DIM
	100 10 009206.022	100 10 009207.022	100 10 009208.022	●	Black	Phase DIM
	100 10 009206.013	100 10 009207.013	100 10 009208.013	○	White	DALI
	100 10 009206.023	100 10 009207.023	100 10 009208.023	●	Black	DALI
7W 2700-1800°K	100 10 009209.011	100 10 009210.011	100 10 009211.011	○	White	Fixed Output
	100 10 009209.021	100 10 009210.021	100 10 009211.021	●	Black	Fixed Output
	100 10 009209.012	100 10 009210.012	100 10 009211.012	○	White	Phase DIM
	100 10 009209.022	100 10 009210.022	100 10 009211.022	●	Black	Phase DIM
	100 10 009209.013	100 10 009210.013	100 10 009211.013	○	White	DALI
	100 10 009209.023	100 10 009210.023	100 10 009211.023	●	Black	DALI
14W 2700°K	100 10 009212.011	100 10 009213.011	100 10 009214.011	○	White	Fixed Output
	100 10 009212.021	100 10 009213.021	100 10 009214.021	●	Black	Fixed Output
	100 10 009212.012	100 10 009213.012	100 10 009214.012	○	White	Phase DIM
	100 10 009212.022	100 10 009213.022	100 10 009214.022	●	Black	Phase DIM
	100 10 009212.013	100 10 009213.013	100 10 009214.013	○	White	DALI
	100 10 009212.023	100 10 009213.023	100 10 009214.023	●	Black	DALI
14W 3000°K	100 10 009215.011	100 10 009216.011	100 10 009217.011	○	White	Fixed Output
	100 10 009215.021	100 10 009216.021	100 10 009217.021	●	Black	Fixed Output
	100 10 009215.012	100 10 009216.012	100 10 009217.012	○	White	Phase DIM
	100 10 009215.022	100 10 009216.022	100 10 009217.022	●	Black	Phase DIM
	100 10 009215.013	100 10 009216.013	100 10 009217.013	○	White	DALI
	100 10 009215.023	100 10 009216.023	100 10 009217.023	●	Black	DALI
14W 4000°K	100 10 009218.011	100 10 009219.011	100 10 009220.011	○	White	Fixed Output
	100 10 009218.021	100 10 009219.021	100 10 009220.021	●	Black	Fixed Output
	100 10 009218.012	100 10 009219.012	100 10 009220.012	○	White	Phase DIM
	100 10 009218.022	100 10 009219.022	100 10 009220.022	●	Black	Phase DIM
	100 10 009218.013	100 10 009219.013	100 10 009220.013	○	White	DALI
	100 10 009218.023	100 10 009219.023	100 10 009220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com