

Product Manual

Accent 100 IP Trimless Fixed Type 3



Accent 100 IP Trimless Fixed Type 3





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade aluminium with nano-ceramic pre-treatment and snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent IP Trimless

Fixed Type 3



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 009300.011	100 10 009301.011	100 10 009302.011	○	White	Fixed Output
	100 10 009300.021	100 10 009301.021	100 10 009302.021	●	Black	Fixed Output
	100 10 009300.012	100 10 009301.012	100 10 009302.012	○	White	Phase DIM
	100 10 009300.022	100 10 009301.022	100 10 009302.022	●	Black	Phase DIM
	100 10 009300.013	100 10 009301.013	100 10 009302.013	○	White	DALI
	100 10 009300.023	100 10 009301.023	100 10 009302.023	●	Black	DALI
8W 3000°K	100 10 009303.011	100 10 009304.011	100 10 009305.011	○	White	Fixed Output
	100 10 009303.021	100 10 009304.021	100 10 009305.021	●	Black	Fixed Output
	100 10 009303.012	100 10 009304.012	100 10 009305.012	○	White	Phase DIM
	100 10 009303.022	100 10 009304.022	100 10 009305.022	●	Black	Phase DIM
	100 10 009303.013	100 10 009304.013	100 10 009305.013	○	White	DALI
	100 10 009303.023	100 10 009304.023	100 10 009305.023	●	Black	DALI
8W 4000°K	100 10 009306.011	100 10 009307.011	100 10 009308.011	○	White	Fixed Output
	100 10 009306.021	100 10 009307.021	100 10 009308.021	●	Black	Fixed Output
	100 10 009306.012	100 10 009307.012	100 10 009308.012	○	White	Phase DIM
	100 10 009306.022	100 10 009307.022	100 10 009308.022	●	Black	Phase DIM
	100 10 009306.013	100 10 009307.013	100 10 009308.013	○	White	DALI
	100 10 009306.023	100 10 009307.023	100 10 009308.023	●	Black	DALI
7W 2700-1800°K	100 10 009309.011	100 10 009310.011	100 10 009311.011	○	White	Fixed Output
	100 10 009309.021	100 10 009310.021	100 10 009311.021	●	Black	Fixed Output
	100 10 009309.012	100 10 009310.012	100 10 009311.012	○	White	Phase DIM
	100 10 009309.022	100 10 009310.022	100 10 009311.022	●	Black	Phase DIM
	100 10 009309.013	100 10 009310.013	100 10 009311.013	○	White	DALI
	100 10 009309.023	100 10 009310.023	100 10 009311.023	●	Black	DALI
14W 2700°K	100 10 009312.011	100 10 009313.011	100 10 009314.011	○	White	Fixed Output
	100 10 009312.021	100 10 009313.021	100 10 009314.021	●	Black	Fixed Output
	100 10 009312.012	100 10 009313.012	100 10 009314.012	○	White	Phase DIM
	100 10 009312.022	100 10 009313.022	100 10 009314.022	●	Black	Phase DIM
	100 10 009312.013	100 10 009313.013	100 10 009314.013	○	White	DALI
	100 10 009312.023	100 10 009313.023	100 10 009314.023	●	Black	DALI
14W 3000°K	100 10 009315.011	100 10 009316.011	100 10 009317.011	○	White	Fixed Output
	100 10 009315.021	100 10 009316.021	100 10 009317.021	●	Black	Fixed Output
	100 10 009315.012	100 10 009316.012	100 10 009317.012	○	White	Phase DIM
	100 10 009315.022	100 10 009316.022	100 10 009317.022	●	Black	Phase DIM
	100 10 009315.013	100 10 009316.013	100 10 009317.013	○	White	DALI
	100 10 009315.023	100 10 009316.023	100 10 009317.023	●	Black	DALI
14W 4000°K	100 10 009318.011	100 10 009319.011	100 10 009320.011	○	White	Fixed Output
	100 10 009318.021	100 10 009319.021	100 10 009320.021	●	Black	Fixed Output
	100 10 009318.012	100 10 009319.012	100 10 009320.012	○	White	Phase DIM
	100 10 009318.022	100 10 009319.022	100 10 009320.022	●	Black	Phase DIM
	100 10 009318.013	100 10 009319.013	100 10 009320.013	○	White	DALI
	100 10 009318.023	100 10 009319.023	100 10 009320.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com