

Product Manual

Accent 100 IP Trimless Directional Type 2



Accent 100 IP Trimless Directional Type 2



Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent IP Trimless

Directional Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 010200.011	100 10 010201.011	100 10 010202.011	○	White	Fixed Output
	100 10 010200.021	100 10 010201.021	100 10 010202.021	●	Black	Fixed Output
	100 10 010200.012	100 10 010201.012	100 10 010202.012	○	White	Phase DIM
	100 10 010200.022	100 10 010201.022	100 10 010202.022	●	Black	Phase DIM
	100 10 010200.013	100 10 010201.013	100 10 010202.013	○	White	DALI
	100 10 010200.023	100 10 010201.023	100 10 010202.023	●	Black	DALI
8W 3000°K	100 10 010203.011	100 10 010204.011	100 10 010205.011	○	White	Fixed Output
	100 10 010203.021	100 10 010204.021	100 10 010205.021	●	Black	Fixed Output
	100 10 010203.012	100 10 010204.012	100 10 010205.012	○	White	Phase DIM
	100 10 010203.022	100 10 010204.022	100 10 010205.022	●	Black	Phase DIM
	100 10 010203.013	100 10 010204.013	100 10 010205.013	○	White	DALI
	100 10 010203.023	100 10 010204.023	100 10 010205.023	●	Black	DALI
8W 4000°K	100 10 010206.011	100 10 010207.011	100 10 010208.011	○	White	Fixed Output
	100 10 010206.021	100 10 010207.021	100 10 010208.021	●	Black	Fixed Output
	100 10 010206.012	100 10 010207.012	100 10 010208.012	○	White	Phase DIM
	100 10 010206.022	100 10 010207.022	100 10 010208.022	●	Black	Phase DIM
	100 10 010206.013	100 10 010207.013	100 10 010208.013	○	White	DALI
	100 10 010206.023	100 10 010207.023	100 10 010208.023	●	Black	DALI
7W 2700-1800°K	100 10 010209.011	100 10 010210.011	100 10 010211.011	○	White	Fixed Output
	100 10 010209.021	100 10 010210.021	100 10 010211.021	●	Black	Fixed Output
	100 10 010209.012	100 10 010210.012	100 10 010211.012	○	White	Phase DIM
	100 10 010209.022	100 10 010210.022	100 10 010211.022	●	Black	Phase DIM
	100 10 010209.013	100 10 010210.013	100 10 010211.013	○	White	DALI
	100 10 010209.023	100 10 010210.023	100 10 010211.023	●	Black	DALI
14W 2700°K	100 10 010212.011	100 10 010213.011	100 10 010214.011	○	White	Fixed Output
	100 10 010212.021	100 10 010213.021	100 10 010214.021	●	Black	Fixed Output
	100 10 010212.012	100 10 010213.012	100 10 010214.012	○	White	Phase DIM
	100 10 010212.022	100 10 010213.022	100 10 010214.022	●	Black	Phase DIM
	100 10 010212.013	100 10 010213.013	100 10 010214.013	○	White	DALI
	100 10 010212.023	100 10 010213.023	100 10 010214.023	●	Black	DALI
14W 3000°K	100 10 010215.011	100 10 010216.011	100 10 010217.011	○	White	Fixed Output
	100 10 010215.021	100 10 010216.021	100 10 010217.021	●	Black	Fixed Output
	100 10 010215.012	100 10 010216.012	100 10 010217.012	○	White	Phase DIM
	100 10 010215.022	100 10 010216.022	100 10 010217.022	●	Black	Phase DIM
	100 10 010215.013	100 10 010216.013	100 10 010217.013	○	White	DALI
	100 10 010215.023	100 10 010216.023	100 10 010217.023	●	Black	DALI
14W 4000°K	100 10 010218.011	100 10 010219.011	100 10 010220.011	○	White	Fixed Output
	100 10 010218.021	100 10 010219.021	100 10 010220.021	●	Black	Fixed Output
	100 10 010218.012	100 10 010219.012	100 10 010220.012	○	White	Phase DIM
	100 10 010218.022	100 10 010219.022	100 10 010220.022	●	Black	Phase DIM
	100 10 010218.013	100 10 010219.013	100 10 010220.013	○	White	DALI
	100 10 010218.023	100 10 010219.023	100 10 010220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com