

Product Manual

Accent 100 IP Trimless Asymmetrical Type 2



Accent 100 IP Trimless Asymmetrical Type 2





Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, asymmetrical orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Fixed Tilt
Cut-Out	130mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm








Accent IP Trimless

Asymmetrical Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 011200.011	100 10 011201.011	100 10 011202.011	○	White	Fixed Output
	100 10 011200.021	100 10 011201.021	100 10 011202.021	●	Black	Fixed Output
	100 10 011200.012	100 10 011201.012	100 10 011202.012	○	White	Phase DIM
	100 10 011200.022	100 10 011201.022	100 10 011202.022	●	Black	Phase DIM
	100 10 011200.013	100 10 011201.013	100 10 011202.013	○	White	DALI
	100 10 011200.023	100 10 011201.023	100 10 011202.023	●	Black	DALI
8W 3000°K	100 10 011203.011	100 10 011204.011	100 10 011205.011	○	White	Fixed Output
	100 10 011203.021	100 10 011204.021	100 10 011205.021	●	Black	Fixed Output
	100 10 011203.012	100 10 011204.012	100 10 011205.012	○	White	Phase DIM
	100 10 011203.022	100 10 011204.022	100 10 011205.022	●	Black	Phase DIM
	100 10 011203.013	100 10 011204.013	100 10 011205.013	○	White	DALI
	100 10 011203.023	100 10 011204.023	100 10 011205.023	●	Black	DALI
8W 4000°K	100 10 011206.011	100 10 011207.011	100 10 011208.011	○	White	Fixed Output
	100 10 011206.021	100 10 011207.021	100 10 011208.021	●	Black	Fixed Output
	100 10 011206.012	100 10 011207.012	100 10 011208.012	○	White	Phase DIM
	100 10 011206.022	100 10 011207.022	100 10 011208.022	●	Black	Phase DIM
	100 10 011206.013	100 10 011207.013	100 10 011208.013	○	White	DALI
	100 10 011206.023	100 10 011207.023	100 10 011208.023	●	Black	DALI
7W 2700-1800°K	100 10 011209.011	100 10 011210.011	100 10 011211.011	○	White	Fixed Output
	100 10 011209.021	100 10 011210.021	100 10 011211.021	●	Black	Fixed Output
	100 10 011209.012	100 10 011210.012	100 10 011211.012	○	White	Phase DIM
	100 10 011209.022	100 10 011210.022	100 10 011211.022	●	Black	Phase DIM
	100 10 011209.013	100 10 011210.013	100 10 011211.013	○	White	DALI
	100 10 011209.023	100 10 011210.023	100 10 011211.023	●	Black	DALI
14W 2700°K	100 10 011212.011	100 10 011213.011	100 10 011214.011	○	White	Fixed Output
	100 10 011212.021	100 10 011213.021	100 10 011214.021	●	Black	Fixed Output
	100 10 011212.012	100 10 011213.012	100 10 011214.012	○	White	Phase DIM
	100 10 011212.022	100 10 011213.022	100 10 011214.022	●	Black	Phase DIM
	100 10 011212.013	100 10 011213.013	100 10 011214.013	○	White	DALI
	100 10 011212.023	100 10 011213.023	100 10 011214.023	●	Black	DALI
14W 3000°K	100 10 011215.011	100 10 011216.011	100 10 011217.011	○	White	Fixed Output
	100 10 011215.021	100 10 011216.021	100 10 011217.021	●	Black	Fixed Output
	100 10 011215.012	100 10 011216.012	100 10 011217.012	○	White	Phase DIM
	100 10 011215.022	100 10 011216.022	100 10 011217.022	●	Black	Phase DIM
	100 10 011215.013	100 10 011216.013	100 10 011217.013	○	White	DALI
	100 10 011215.023	100 10 011216.023	100 10 011217.023	●	Black	DALI
14W 4000°K	100 10 011218.011	100 10 011219.011	100 10 011220.011	○	White	Fixed Output
	100 10 011218.021	100 10 011219.021	100 10 011220.021	●	Black	Fixed Output
	100 10 011218.012	100 10 011219.012	100 10 011220.012	○	White	Phase DIM
	100 10 011218.022	100 10 011219.022	100 10 011220.022	●	Black	Phase DIM
	100 10 011218.013	100 10 011219.013	100 10 011220.013	○	White	DALI
	100 10 011218.023	100 10 011219.023	100 10 011220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com