

Product Manual

Accent 100 Trimless Concrete Fixed Type 3



Accent 100 Trimless Concrete Fixed Type 3




Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, fixed orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0° Tilt
Cavity	182mm Round x 125-190mm Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 Trimless Concrete Fixed Type 2

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 012300.011	100 10 012301.011	100 10 012302.011	○	White	Fixed Output
	100 10 012300.021	100 10 012301.021	100 10 012302.021	●	Black	Fixed Output
	100 10 012300.012	100 10 012301.012	100 10 012302.012	○	White	Phase DIM
	100 10 012300.022	100 10 012301.022	100 10 012302.022	●	Black	Phase DIM
	100 10 012300.013	100 10 012301.013	100 10 012302.013	○	White	DALI
	100 10 012300.023	100 10 012301.023	100 10 012302.023	●	Black	DALI
8W 3000°K	100 10 012303.011	100 10 012304.011	100 10 012305.011	○	White	Fixed Output
	100 10 012303.021	100 10 012304.021	100 10 012305.021	●	Black	Fixed Output
	100 10 012303.012	100 10 012304.012	100 10 012305.012	○	White	Phase DIM
	100 10 012303.022	100 10 012304.022	100 10 012305.022	●	Black	Phase DIM
	100 10 012303.013	100 10 012304.013	100 10 012305.013	○	White	DALI
	100 10 012303.023	100 10 012304.023	100 10 012305.023	●	Black	DALI
8W 4000°K	100 10 012306.011	100 10 012307.011	100 10 012308.011	○	White	Fixed Output
	100 10 012306.021	100 10 012307.021	100 10 012308.021	●	Black	Fixed Output
	100 10 012306.012	100 10 012307.012	100 10 012308.012	○	White	Phase DIM
	100 10 012306.022	100 10 012307.022	100 10 012308.022	●	Black	Phase DIM
	100 10 012306.013	100 10 012307.013	100 10 012308.013	○	White	DALI
	100 10 012306.023	100 10 012307.023	100 10 012308.023	●	Black	DALI
7W 2700-1800°K	100 10 012309.011	100 10 012310.011	100 10 012311.011	○	White	Fixed Output
	100 10 012309.021	100 10 012310.021	100 10 012311.021	●	Black	Fixed Output
	100 10 012309.012	100 10 012310.012	100 10 012311.012	○	White	Phase DIM
	100 10 012309.022	100 10 012310.022	100 10 012311.022	●	Black	Phase DIM
	100 10 012309.013	100 10 012310.013	100 10 012311.013	○	White	DALI
	100 10 012309.023	100 10 012310.023	100 10 012311.023	●	Black	DALI
14W 2700°K	100 10 012312.011	100 10 012313.011	100 10 012314.011	○	White	Fixed Output
	100 10 012312.021	100 10 012313.021	100 10 012314.021	●	Black	Fixed Output
	100 10 012312.012	100 10 012313.012	100 10 012314.012	○	White	Phase DIM
	100 10 012312.022	100 10 012313.022	100 10 012314.022	●	Black	Phase DIM
	100 10 012312.013	100 10 012313.013	100 10 012314.013	○	White	DALI
	100 10 012312.023	100 10 012313.023	100 10 012302.023	●	Black	DALI
14W 3000°K	100 10 012315.011	100 10 012316.011	100 10 012317.011	○	White	Fixed Output
	100 10 012315.021	100 10 012316.021	100 10 012317.021	●	Black	Fixed Output
	100 10 012315.012	100 10 012316.012	100 10 012317.012	○	White	Phase DIM
	100 10 012315.022	100 10 012316.022	100 10 012317.022	●	Black	Phase DIM
	100 10 012315.013	100 10 012316.013	100 10 012317.013	○	White	DALI
	100 10 012315.023	100 10 012316.023	100 10 012317.023	●	Black	DALI
14W 4000°K	100 10 012318.011	100 10 012319.011	100 10 012320.011	○	White	Fixed Output
	100 10 012318.021	100 10 012319.021	100 10 012320.021	●	Black	Fixed Output
	100 10 012318.012	100 10 012319.012	100 10 012320.012	○	White	Phase DIM
	100 10 012318.022	100 10 012319.022	100 10 012320.022	●	Black	Phase DIM
	100 10 012318.013	100 10 012319.013	100 10 012320.013	○	White	DALI
	100 10 012318.023	100 10 012319.023	100 10 012320.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com