

Product Manual

Accent 100 Trimless Concrete Directional Type 1



Accent 100 Trimless Concrete

Directional Type 1





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with inset detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Tilt
Cut-Out	182mm Round x 125-190mm Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 Trimless Concrete

Directional Type 1

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 013100.011	100 10 013101.011	100 10 013102.011	○	White	Fixed Output
	100 10 013100.021	100 10 013101.021	100 10 013102.021	●	Black	Fixed Output
	100 10 013100.012	100 10 013101.012	100 10 013102.012	○	White	Phase DIM
	100 10 013100.022	100 10 013101.022	100 10 013102.022	●	Black	Phase DIM
	100 10 013100.013	100 10 013101.013	100 10 013102.013	○	White	DALI
	100 10 013100.023	100 10 013101.023	100 10 013102.023	●	Black	DALI
8W 3000°K	100 10 013103.011	100 10 013104.011	100 10 013105.011	○	White	Fixed Output
	100 10 013103.021	100 10 013104.021	100 10 013105.021	●	Black	Fixed Output
	100 10 013103.012	100 10 013104.012	100 10 013105.012	○	White	Phase DIM
	100 10 013103.022	100 10 013104.022	100 10 013105.022	●	Black	Phase DIM
	100 10 013103.013	100 10 013104.013	100 10 013105.013	○	White	DALI
	100 10 013103.023	100 10 013104.023	100 10 013105.023	●	Black	DALI
8W 4000°K	100 10 013106.011	100 10 013107.011	100 10 013108.011	○	White	Fixed Output
	100 10 013106.021	100 10 013107.021	100 10 013108.021	●	Black	Fixed Output
	100 10 013106.012	100 10 013107.012	100 10 013108.012	○	White	Phase DIM
	100 10 013106.022	100 10 013107.022	100 10 013108.022	●	Black	Phase DIM
	100 10 013106.013	100 10 013107.013	100 10 013108.013	○	White	DALI
	100 10 013106.023	100 10 013107.023	100 10 013108.023	●	Black	DALI
7W 2700-1800°K	100 10 013109.011	100 10 013110.011	100 10 013111.011	○	White	Fixed Output
	100 10 013109.021	100 10 013110.021	100 10 013111.021	●	Black	Fixed Output
	100 10 013109.012	100 10 013110.012	100 10 013111.012	○	White	Phase DIM
	100 10 013109.022	100 10 013110.022	100 10 013111.022	●	Black	Phase DIM
	100 10 013109.013	100 10 013110.013	100 10 013111.013	○	White	DALI
	100 10 013109.023	100 10 013110.023	100 10 013111.023	●	Black	DALI
14W 2700°K	100 10 013112.011	100 10 013113.011	100 10 013114.011	○	White	Fixed Output
	100 10 013112.021	100 10 013113.021	100 10 013114.021	●	Black	Fixed Output
	100 10 013112.012	100 10 013113.012	100 10 013114.012	○	White	Phase DIM
	100 10 013112.022	100 10 013113.022	100 10 013114.022	●	Black	Phase DIM
	100 10 013112.013	100 10 013113.013	100 10 013114.013	○	White	DALI
	100 10 013112.023	100 10 013113.023	100 10 013114.023	●	Black	DALI
14W 3000°K	100 10 013115.011	100 10 013116.011	100 10 013117.011	○	White	Fixed Output
	100 10 013115.021	100 10 013116.021	100 10 013117.021	●	Black	Fixed Output
	100 10 013115.012	100 10 013116.012	100 10 013117.012	○	White	Phase DIM
	100 10 013115.022	100 10 013116.022	100 10 013117.022	●	Black	Phase DIM
	100 10 013115.013	100 10 013116.013	100 10 013117.013	○	White	DALI
	100 10 013115.023	100 10 013116.023	100 10 013117.023	●	Black	DALI
14W 4000°K	100 10 013118.011	100 10 013119.011	100 10 013120.011	○	White	Fixed Output
	100 10 013118.021	100 10 013119.021	100 10 013120.021	●	Black	Fixed Output
	100 10 013118.012	100 10 013119.012	100 10 013120.012	○	White	Phase DIM
	100 10 013118.022	100 10 013119.022	100 10 013120.022	●	Black	Phase DIM
	100 10 013118.013	100 10 013119.013	100 10 013120.013	○	White	DALI
	100 10 013118.023	100 10 013119.023	100 10 013120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com