

Product Manual

Accent 100 Trimless Concrete Directional Type 3



Accent 100 Trimless Concrete

Directional Type 3





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Tilt
Cut-Out	182mm Round x 125-190mm Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 Trimless Concrete

Directional Type 3

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 013300.011	100 10 013301.011	100 10 013302.011	○	White	Fixed Output
	100 10 013300.021	100 10 013301.021	100 10 013302.021	●	Black	Fixed Output
	100 10 013300.012	100 10 013301.012	100 10 013302.012	○	White	Phase DIM
	100 10 013300.022	100 10 013301.022	100 10 013302.022	●	Black	Phase DIM
	100 10 013300.013	100 10 013301.013	100 10 013302.013	○	White	DALI
	100 10 013300.023	100 10 013301.023	100 10 013302.023	●	Black	DALI
8W 3000°K	100 10 013303.011	100 10 013304.011	100 10 013305.011	○	White	Fixed Output
	100 10 013303.021	100 10 013304.021	100 10 013305.021	●	Black	Fixed Output
	100 10 013303.012	100 10 013304.012	100 10 013305.012	○	White	Phase DIM
	100 10 013303.022	100 10 013304.022	100 10 013305.022	●	Black	Phase DIM
	100 10 013303.013	100 10 013304.013	100 10 013305.013	○	White	DALI
	100 10 013303.023	100 10 013304.023	100 10 013305.023	●	Black	DALI
8W 4000°K	100 10 013306.011	100 10 013307.011	100 10 013308.011	○	White	Fixed Output
	100 10 013306.021	100 10 013307.021	100 10 013308.021	●	Black	Fixed Output
	100 10 013306.012	100 10 013307.012	100 10 013308.012	○	White	Phase DIM
	100 10 013306.022	100 10 013307.022	100 10 013308.022	●	Black	Phase DIM
	100 10 013306.013	100 10 013307.013	100 10 013308.013	○	White	DALI
	100 10 013306.023	100 10 013307.023	100 10 013308.023	●	Black	DALI
7W 2700-1800°K	100 10 013309.011	100 10 013310.011	100 10 013311.011	○	White	Fixed Output
	100 10 013309.021	100 10 013310.021	100 10 013311.021	●	Black	Fixed Output
	100 10 013309.012	100 10 013310.012	100 10 013311.012	○	White	Phase DIM
	100 10 013309.022	100 10 013310.022	100 10 013311.022	●	Black	Phase DIM
	100 10 013309.013	100 10 013310.013	100 10 013311.013	○	White	DALI
	100 10 013309.023	100 10 013310.023	100 10 013311.023	●	Black	DALI
14W 2700°K	100 10 013312.011	100 10 013313.011	100 10 013314.011	○	White	Fixed Output
	100 10 013312.021	100 10 013313.021	100 10 013314.021	●	Black	Fixed Output
	100 10 013312.012	100 10 013313.012	100 10 013314.012	○	White	Phase DIM
	100 10 013312.022	100 10 013313.022	100 10 013314.022	●	Black	Phase DIM
	100 10 013312.013	100 10 013313.013	100 10 013314.013	○	White	DALI
	100 10 013312.023	100 10 013313.023	100 10 013314.023	●	Black	DALI
14W 3000°K	100 10 013315.011	100 10 013316.011	100 10 013317.011	○	White	Fixed Output
	100 10 013315.021	100 10 013316.021	100 10 013317.021	●	Black	Fixed Output
	100 10 013315.012	100 10 013316.012	100 10 013317.012	○	White	Phase DIM
	100 10 013315.022	100 10 013316.022	100 10 013317.022	●	Black	Phase DIM
	100 10 013315.013	100 10 013316.013	100 10 013317.013	○	White	DALI
	100 10 013315.023	100 10 013316.023	100 10 013317.023	●	Black	DALI
14W 4000°K	100 10 013318.011	100 10 013319.011	100 10 013320.011	○	White	Fixed Output
	100 10 013318.021	100 10 013319.021	100 10 013320.021	●	Black	Fixed Output
	100 10 013318.012	100 10 013319.012	100 10 013320.012	○	White	Phase DIM
	100 10 013318.022	100 10 013319.022	100 10 013320.022	●	Black	Phase DIM
	100 10 013318.013	100 10 013319.013	100 10 013320.013	○	White	DALI
	100 10 013318.023	100 10 013319.023	100 10 013320.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com