

Product Manual

Accent 100 IP Trimless Concrete Directional Type 1



Accent 100 IP Trimless Concrete

Directional Type 1





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade base material and nano-ceramic pre-treatment with inset detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Tilt
Cavity	182mm Round x 125-190mm Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 IP Trimless Concrete

Directional Type 1

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 016100.011	100 10 016101.011	100 10 016102.011	○	White	Fixed Output
	100 10 016100.021	100 10 016101.021	100 10 016102.021	●	Black	Fixed Output
	100 10 016100.012	100 10 016101.012	100 10 016102.012	○	White	Phase DIM
	100 10 016100.022	100 10 016101.022	100 10 016102.022	●	Black	Phase DIM
	100 10 016100.013	100 10 016101.013	100 10 016102.013	○	White	DALI
	100 10 016100.023	100 10 016101.023	100 10 016102.023	●	Black	DALI
8W 3000°K	100 10 016103.011	100 10 016104.011	100 10 016105.011	○	White	Fixed Output
	100 10 016103.021	100 10 016104.021	100 10 016105.021	●	Black	Fixed Output
	100 10 016103.012	100 10 016104.012	100 10 016105.012	○	White	Phase DIM
	100 10 016103.022	100 10 016104.022	100 10 016105.022	●	Black	Phase DIM
	100 10 016103.013	100 10 016104.013	100 10 016105.013	○	White	DALI
	100 10 016103.023	100 10 016104.023	100 10 016105.023	●	Black	DALI
8W 4000°K	100 10 016106.011	100 10 016107.011	100 10 016108.011	○	White	Fixed Output
	100 10 016106.021	100 10 016107.021	100 10 016108.021	●	Black	Fixed Output
	100 10 016106.012	100 10 016107.012	100 10 016108.012	○	White	Phase DIM
	100 10 016106.022	100 10 016107.022	100 10 016108.022	●	Black	Phase DIM
	100 10 016106.013	100 10 016107.013	100 10 016108.013	○	White	DALI
	100 10 016106.023	100 10 016107.023	100 10 016108.023	●	Black	DALI
7W 2700-1800°K	100 10 016109.011	100 10 016110.011	100 10 016111.011	○	White	Fixed Output
	100 10 016109.021	100 10 016110.021	100 10 016111.021	●	Black	Fixed Output
	100 10 016109.012	100 10 016110.012	100 10 016111.012	○	White	Phase DIM
	100 10 016109.022	100 10 016110.022	100 10 016111.022	●	Black	Phase DIM
	100 10 016109.013	100 10 016110.013	100 10 016111.013	○	White	DALI
	100 10 016109.023	100 10 016110.023	100 10 016111.023	●	Black	DALI
14W 2700°K	100 10 016112.011	100 10 016113.011	100 10 016114.011	○	White	Fixed Output
	100 10 016112.021	100 10 016113.021	100 10 016114.021	●	Black	Fixed Output
	100 10 016112.012	100 10 016113.012	100 10 016114.012	○	White	Phase DIM
	100 10 016112.022	100 10 016113.022	100 10 016114.022	●	Black	Phase DIM
	100 10 016112.013	100 10 016113.013	100 10 016114.013	○	White	DALI
	100 10 016112.023	100 10 016113.023	100 10 016114.023	●	Black	DALI
14W 3000°K	100 10 016115.011	100 10 016116.011	100 10 016117.011	○	White	Fixed Output
	100 10 016115.021	100 10 016116.021	100 10 016117.021	●	Black	Fixed Output
	100 10 016115.012	100 10 016116.012	100 10 016117.012	○	White	Phase DIM
	100 10 016115.022	100 10 016116.022	100 10 016117.022	●	Black	Phase DIM
	100 10 016115.013	100 10 016116.013	100 10 016117.013	○	White	DALI
	100 10 016115.023	100 10 016116.023	100 10 016117.023	●	Black	DALI
14W 4000°K	100 10 016118.011	100 10 016119.011	100 10 016120.011	○	White	Fixed Output
	100 10 016118.021	100 10 016119.021	100 10 016120.021	●	Black	Fixed Output
	100 10 016118.012	100 10 016119.012	100 10 016120.012	○	White	Phase DIM
	100 10 016118.022	100 10 016119.022	100 10 016120.022	●	Black	Phase DIM
	100 10 016118.013	100 10 016119.013	100 10 016120.013	○	White	DALI
	100 10 016118.023	100 10 016119.023	100 10 016120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com