

Product Manual

Accent 100 IP Trimless Concrete Directional Type 2



Accent 100 IP Trimless Concrete

Directional Type 2





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade base material and nano-ceramic pre-treatment with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Tilt
Cavity	182mm Round x 125-190mm Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 IP Trimless Concrete

Directional Type 2

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 016200.011	100 10 016201.011	100 10 016202.011	○	White	Fixed Output
	100 10 016200.021	100 10 016201.021	100 10 016202.021	●	Black	Fixed Output
	100 10 016200.012	100 10 016201.012	100 10 016202.012	○	White	Phase DIM
	100 10 016200.022	100 10 016201.022	100 10 016202.022	●	Black	Phase DIM
	100 10 016200.013	100 10 016201.013	100 10 016202.013	○	White	DALI
	100 10 016200.023	100 10 016201.023	100 10 016202.023	●	Black	DALI
8W 3000°K	100 10 016203.011	100 10 016204.011	100 10 016205.011	○	White	Fixed Output
	100 10 016203.021	100 10 016204.021	100 10 016205.021	●	Black	Fixed Output
	100 10 016203.012	100 10 016204.012	100 10 016205.012	○	White	Phase DIM
	100 10 016203.022	100 10 016204.022	100 10 016205.022	●	Black	Phase DIM
	100 10 016203.013	100 10 016204.013	100 10 016205.013	○	White	DALI
	100 10 016203.023	100 10 016204.023	100 10 016205.023	●	Black	DALI
8W 4000°K	100 10 016206.011	100 10 016207.011	100 10 016208.011	○	White	Fixed Output
	100 10 016206.021	100 10 016207.021	100 10 016208.021	●	Black	Fixed Output
	100 10 016206.012	100 10 016207.012	100 10 016208.012	○	White	Phase DIM
	100 10 016206.022	100 10 016207.022	100 10 016208.022	●	Black	Phase DIM
	100 10 016206.013	100 10 016207.013	100 10 016208.013	○	White	DALI
	100 10 016206.023	100 10 016207.023	100 10 016208.023	●	Black	DALI
7W 2700-1800°K	100 10 016209.011	100 10 016210.011	100 10 016211.011	○	White	Fixed Output
	100 10 016209.021	100 10 016210.021	100 10 016211.021	●	Black	Fixed Output
	100 10 016209.012	100 10 016210.012	100 10 016211.012	○	White	Phase DIM
	100 10 016209.022	100 10 016210.022	100 10 016211.022	●	Black	Phase DIM
	100 10 016209.013	100 10 016210.013	100 10 016211.013	○	White	DALI
	100 10 016209.023	100 10 016210.023	100 10 016211.023	●	Black	DALI
14W 2700°K	100 10 016212.011	100 10 016213.011	100 10 016214.011	○	White	Fixed Output
	100 10 016212.021	100 10 016213.021	100 10 016214.021	●	Black	Fixed Output
	100 10 016212.012	100 10 016213.012	100 10 016214.012	○	White	Phase DIM
	100 10 016212.022	100 10 016213.022	100 10 016214.022	●	Black	Phase DIM
	100 10 016212.013	100 10 016213.013	100 10 016214.013	○	White	DALI
	100 10 016212.023	100 10 016213.023	100 10 016214.023	●	Black	DALI
14W 3000°K	100 10 016215.011	100 10 016216.011	100 10 016217.011	○	White	Fixed Output
	100 10 016215.021	100 10 016216.021	100 10 016217.021	●	Black	Fixed Output
	100 10 016215.012	100 10 016216.012	100 10 016217.012	○	White	Phase DIM
	100 10 016215.022	100 10 016216.022	100 10 016217.022	●	Black	Phase DIM
	100 10 016215.013	100 10 016216.013	100 10 016217.013	○	White	DALI
	100 10 016215.023	100 10 016216.023	100 10 016217.023	●	Black	DALI
14W 4000°K	100 10 016218.011	100 10 016219.011	100 10 016220.011	○	White	Fixed Output
	100 10 016218.021	100 10 016219.021	100 10 016220.021	●	Black	Fixed Output
	100 10 016218.012	100 10 016219.012	100 10 016220.012	○	White	Phase DIM
	100 10 016218.022	100 10 016219.022	100 10 016220.022	●	Black	Phase DIM
	100 10 016218.013	100 10 016219.013	100 10 016220.013	○	White	DALI
	100 10 016218.023	100 10 016219.023	100 10 016220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com