

Product Manual

Accent 100 IP Trimless Concrete Asymmetrical Type 1



Accent 100 IP Trimless Concrete

Asymmetrical Type 1





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, asymmetrical orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade base material and nano-ceramic pre-treatment with inset detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Fixed Tilt
Cavity	182mm Round x 125-190mm Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 IP Trimless Concrete Asymmetrical Type 1

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 017100.011	100 10 017101.011	100 10 017102.011	○	White	Fixed Output
	100 10 017100.021	100 10 017101.021	100 10 017102.021	●	Black	Fixed Output
	100 10 017100.012	100 10 017101.012	100 10 017102.012	○	White	Phase DIM
	100 10 017100.022	100 10 017101.022	100 10 017102.022	●	Black	Phase DIM
	100 10 017100.013	100 10 017101.013	100 10 017102.013	○	White	DALI
	100 10 017100.023	100 10 017101.023	100 10 017102.023	●	Black	DALI
8W 3000°K	100 10 017103.011	100 10 017104.011	100 10 017105.011	○	White	Fixed Output
	100 10 017103.021	100 10 017104.021	100 10 017105.021	●	Black	Fixed Output
	100 10 017103.012	100 10 017104.012	100 10 017105.012	○	White	Phase DIM
	100 10 017103.022	100 10 017104.022	100 10 017105.022	●	Black	Phase DIM
	100 10 017103.013	100 10 017104.013	100 10 017105.013	○	White	DALI
	100 10 017103.023	100 10 017104.023	100 10 017105.023	●	Black	DALI
8W 4000°K	100 10 017106.011	100 10 017107.011	100 10 017108.011	○	White	Fixed Output
	100 10 017106.021	100 10 017107.021	100 10 017108.021	●	Black	Fixed Output
	100 10 017106.012	100 10 017107.012	100 10 017108.012	○	White	Phase DIM
	100 10 017106.022	100 10 017107.022	100 10 017108.022	●	Black	Phase DIM
	100 10 017106.013	100 10 017107.013	100 10 017108.013	○	White	DALI
	100 10 017106.023	100 10 017107.023	100 10 017108.023	●	Black	DALI
7W 2700-1800°K	100 10 017109.011	100 10 017110.011	100 10 017111.011	○	White	Fixed Output
	100 10 017109.021	100 10 017110.021	100 10 017111.021	●	Black	Fixed Output
	100 10 017109.012	100 10 017110.012	100 10 017111.012	○	White	Phase DIM
	100 10 017109.022	100 10 017110.022	100 10 017111.022	●	Black	Phase DIM
	100 10 017109.013	100 10 017110.013	100 10 017111.013	○	White	DALI
	100 10 017109.023	100 10 017110.023	100 10 017111.023	●	Black	DALI
14W 2700°K	100 10 017112.011	100 10 017113.011	100 10 017114.011	○	White	Fixed Output
	100 10 017112.021	100 10 017113.021	100 10 017114.021	●	Black	Fixed Output
	100 10 017112.012	100 10 017113.012	100 10 017114.012	○	White	Phase DIM
	100 10 017112.022	100 10 017113.022	100 10 017114.022	●	Black	Phase DIM
	100 10 017112.013	100 10 017113.013	100 10 017114.013	○	White	DALI
	100 10 017112.023	100 10 017113.023	100 10 017114.023	●	Black	DALI
14W 3000°K	100 10 017115.011	100 10 017116.011	100 10 017117.011	○	White	Fixed Output
	100 10 017115.021	100 10 017116.021	100 10 017117.021	●	Black	Fixed Output
	100 10 017115.012	100 10 017116.012	100 10 017117.012	○	White	Phase DIM
	100 10 017115.022	100 10 017116.022	100 10 017117.022	●	Black	Phase DIM
	100 10 017115.013	100 10 017116.013	100 10 017117.013	○	White	DALI
	100 10 017115.023	100 10 017116.023	100 10 017117.023	●	Black	DALI
14W 4000°K	100 10 017118.011	100 10 017119.011	100 10 017120.011	○	White	Fixed Output
	100 10 017118.021	100 10 017119.021	100 10 017120.021	●	Black	Fixed Output
	100 10 017118.012	100 10 017119.012	100 10 017120.012	○	White	Phase DIM
	100 10 017118.022	100 10 017119.022	100 10 017120.022	●	Black	Phase DIM
	100 10 017118.013	100 10 017119.013	100 10 017120.013	○	White	DALI
	100 10 017118.023	100 10 017119.023	100 10 017120.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com