

Product Manual

Accent 100 IP Trimless Concrete Asymmetrical Type 2



Accent 100 IP Trimless Concrete

Asymmetrical Type 2





Recessed ceiling luminaire for use in concrete slab with rotationally symmetrical flood or wide flood optics, high colour reproduction, asymmetrical orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade from marine-grade base material and nano-ceramic pre-treatment with rounded detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 30° Fixed Tilt
Cavity	182mm Round x 125-190mm Depth
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent 100 IP Trimless Concrete

Asymmetrical Type 2

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 017200.011	100 10 017201.011	100 10 017202.011	○	White	Fixed Output
	100 10 017200.021	100 10 017201.021	100 10 017202.021	●	Black	Fixed Output
	100 10 017200.012	100 10 017201.012	100 10 017202.012	○	White	Phase DIM
	100 10 017200.022	100 10 017201.022	100 10 017202.022	●	Black	Phase DIM
	100 10 017200.013	100 10 017201.013	100 10 017202.013	○	White	DALI
	100 10 017200.023	100 10 017201.023	100 10 017202.023	●	Black	DALI
8W 3000°K	100 10 017203.011	100 10 017204.011	100 10 017205.011	○	White	Fixed Output
	100 10 017203.021	100 10 017204.021	100 10 017205.021	●	Black	Fixed Output
	100 10 017203.012	100 10 017204.012	100 10 017205.012	○	White	Phase DIM
	100 10 017203.022	100 10 017204.022	100 10 017205.022	●	Black	Phase DIM
	100 10 017203.013	100 10 017204.013	100 10 017205.013	○	White	DALI
	100 10 017203.023	100 10 017204.023	100 10 017205.023	●	Black	DALI
8W 4000°K	100 10 017206.011	100 10 017207.011	100 10 017208.011	○	White	Fixed Output
	100 10 017206.021	100 10 017207.021	100 10 017208.021	●	Black	Fixed Output
	100 10 017206.012	100 10 017207.012	100 10 017208.012	○	White	Phase DIM
	100 10 017206.022	100 10 017207.022	100 10 017208.022	●	Black	Phase DIM
	100 10 017206.013	100 10 017207.013	100 10 017208.013	○	White	DALI
	100 10 017206.023	100 10 017207.023	100 10 017208.023	●	Black	DALI
7W 2700-1800°K	100 10 017209.011	100 10 017210.011	100 10 017211.011	○	White	Fixed Output
	100 10 017209.021	100 10 017210.021	100 10 017211.021	●	Black	Fixed Output
	100 10 017209.012	100 10 017210.012	100 10 017211.012	○	White	Phase DIM
	100 10 017209.022	100 10 017210.022	100 10 017211.022	●	Black	Phase DIM
	100 10 017209.013	100 10 017210.013	100 10 017211.013	○	White	DALI
	100 10 017209.023	100 10 017210.023	100 10 017211.023	●	Black	DALI
14W 2700°K	100 10 017212.011	100 10 017213.011	100 10 017214.011	○	White	Fixed Output
	100 10 017212.021	100 10 017213.021	100 10 017214.021	●	Black	Fixed Output
	100 10 017212.012	100 10 017213.012	100 10 017214.012	○	White	Phase DIM
	100 10 017212.022	100 10 017213.022	100 10 017214.022	●	Black	Phase DIM
	100 10 017212.013	100 10 017213.013	100 10 017214.013	○	White	DALI
	100 10 017212.023	100 10 017213.023	100 10 017202.023	●	Black	DALI
14W 3000°K	100 10 017215.011	100 10 017216.011	100 10 017217.011	○	White	Fixed Output
	100 10 017215.021	100 10 017216.021	100 10 017217.021	●	Black	Fixed Output
	100 10 017215.012	100 10 017216.012	100 10 017217.012	○	White	Phase DIM
	100 10 017215.022	100 10 017216.022	100 10 017217.022	●	Black	Phase DIM
	100 10 017215.013	100 10 017216.013	100 10 017217.013	○	White	DALI
	100 10 017215.023	100 10 017216.023	100 10 017217.023	●	Black	DALI
14W 4000°K	100 10 017218.011	100 10 017219.011	100 10 017220.011	○	White	Fixed Output
	100 10 017218.021	100 10 017219.021	100 10 017220.021	●	Black	Fixed Output
	100 10 017218.012	100 10 017219.012	100 10 017220.012	○	White	Phase DIM
	100 10 017218.022	100 10 017219.022	100 10 017220.022	●	Black	Phase DIM
	100 10 017218.013	100 10 017219.013	100 10 017220.013	○	White	DALI
	100 10 017218.023	100 10 017219.023	100 10 017220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com