

Product Manual

Mono 060 Trimless Concrete Type 1



Mono 060 Trimless Concrete

Type 1





Recessed ceiling luminaire with trimless installation kit to deliver shadow line from fixture to concrete slab. Rotationally symmetrical medium, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with inset detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.


System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	Fixed
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Mono 060 Trimless Concrete Type 1

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	101 06 003100.011	101 06 003101.011	101 06 003102.011	○	White	Fixed Output
	101 06 003100.021	101 06 003101.021	101 06 003102.021	●	Black	Fixed Output
	101 06 003100.012	101 06 003101.012	101 06 003102.012	○	White	Phase DIM
	101 06 003100.022	101 06 003101.022	101 06 003102.022	●	Black	Phase DIM
	101 06 003100.013	101 06 003101.013	101 06 003102.013	○	White	DALI
	101 06 003100.023	101 06 003101.023	101 06 003102.023	●	Black	DALI
8W 3000°K	101 06 003103.011	101 06 003104.011	101 06 003105.011	○	White	Fixed Output
	101 06 003103.021	101 06 003104.021	101 06 003105.021	●	Black	Fixed Output
	101 06 003103.012	101 06 003104.012	101 06 003105.012	○	White	Phase DIM
	101 06 003103.022	101 06 003104.022	101 06 003105.022	●	Black	Phase DIM
	101 06 003103.013	101 06 003104.013	101 06 003105.013	○	White	DALI
	101 06 003103.023	101 06 003104.023	101 06 003105.023	●	Black	DALI
8W 4000°K	101 06 003106.011	101 06 003107.011	101 06 003108.011	○	White	Fixed Output
	101 06 003106.021	101 06 003107.021	101 06 003108.021	●	Black	Fixed Output
	101 06 003106.012	101 06 003107.012	101 06 003108.012	○	White	Phase DIM
	101 06 003106.022	101 06 003107.022	101 06 003108.022	●	Black	Phase DIM
	101 06 003106.013	101 06 003107.013	101 06 003108.013	○	White	DALI
	101 06 003106.023	101 06 003107.023	101 06 003108.023	●	Black	DALI
7W 2700-1800°K	101 06 003109.011	101 06 003110.011	101 06 003111.011	○	White	Fixed Output
	101 06 003109.021	101 06 003110.021	101 06 003111.021	●	Black	Fixed Output
	101 06 003109.012	101 06 003110.012	101 06 003111.012	○	White	Phase DIM
	101 06 003109.022	101 06 003110.022	101 06 003111.022	●	Black	Phase DIM
	101 06 003109.013	101 06 003110.013	101 06 003111.013	○	White	DALI
	101 06 003109.023	101 06 003110.023	101 06 003111.023	●	Black	DALI
14W 2700°K	101 06 003112.011	101 06 003113.011	101 06 003114.011	○	White	Fixed Output
	101 06 003112.021	101 06 003113.021	101 06 003114.021	●	Black	Fixed Output
	101 06 003112.012	101 06 003113.012	101 06 003114.012	○	White	Phase DIM
	101 06 003112.022	101 06 003113.022	101 06 003114.022	●	Black	Phase DIM
	101 06 003112.013	101 06 003113.013	101 06 003114.013	○	White	DALI
	101 06 003112.023	101 06 003113.023	101 06 003102.023	●	Black	DALI
14W 3000°K	101 06 003115.011	101 06 003116.011	101 06 003117.011	○	White	Fixed Output
	101 06 003115.021	101 06 003116.021	101 06 003117.021	●	Black	Fixed Output
	101 06 003115.012	101 06 003116.012	101 06 003117.012	○	White	Phase DIM
	101 06 003115.022	101 06 003116.022	101 06 003117.022	●	Black	Phase DIM
	101 06 003115.013	101 06 003116.013	101 06 003117.013	○	White	DALI
	101 06 003115.023	101 06 003116.023	101 06 003117.023	●	Black	DALI
14W 4000°K	101 06 003118.011	101 06 003119.011	101 06 003120.011	○	White	Fixed Output
	101 06 003118.021	101 06 003119.021	101 06 003120.021	●	Black	Fixed Output
	101 06 003118.012	101 06 003119.012	101 06 003120.012	○	White	Phase DIM
	101 06 003118.022	101 06 003119.022	101 06 003120.022	●	Black	Phase DIM
	101 06 003118.013	101 06 003119.013	101 06 003120.013	○	White	DALI
	101 06 003118.023	101 06 003119.023	101 06 003120.023	●	Black	DALI

iilus.com