

Product Manual

Mono 060 Trimless Concrete Type 2



Mono 060 Trimless Concrete

Type 2





Recessed ceiling luminaire with trimless installation kit to deliver shadow line from fixture to concrete slab. Rotationally symmetrical medium, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with rounded detail and anti-glare baffle. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	Fixed
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Mono 060 Trimless Concrete Type 2

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	101 06 003200.011	101 06 003201.011	101 06 003202.011	○	White	Fixed Output
	101 06 003200.021	101 06 003201.021	101 06 003202.021	●	Black	Fixed Output
	101 06 003200.012	101 06 003201.012	101 06 003202.012	○	White	Phase DIM
	101 06 003200.022	101 06 003201.022	101 06 003202.022	●	Black	Phase DIM
	101 06 003200.013	101 06 003201.013	101 06 003202.013	○	White	DALI
	101 06 003200.023	101 06 003201.023	101 06 003202.023	●	Black	DALI
8W 3000°K	101 06 003203.011	101 06 003204.011	101 06 003205.011	○	White	Fixed Output
	101 06 003203.021	101 06 003204.021	101 06 003205.021	●	Black	Fixed Output
	101 06 003203.012	101 06 003204.012	101 06 003205.012	○	White	Phase DIM
	101 06 003203.022	101 06 003204.022	101 06 003205.022	●	Black	Phase DIM
	101 06 003203.013	101 06 003204.013	101 06 003205.013	○	White	DALI
	101 06 003203.023	101 06 003204.023	101 06 003205.023	●	Black	DALI
8W 4000°K	101 06 003206.011	101 06 003207.011	101 06 003208.011	○	White	Fixed Output
	101 06 003206.021	101 06 003207.021	101 06 003208.021	●	Black	Fixed Output
	101 06 003206.012	101 06 003207.012	101 06 003208.012	○	White	Phase DIM
	101 06 003206.022	101 06 003207.022	101 06 003208.022	●	Black	Phase DIM
	101 06 003206.013	101 06 003207.013	101 06 003208.013	○	White	DALI
	101 06 003206.023	101 06 003207.023	101 06 003208.023	●	Black	DALI
7W 2700-1800°K	101 06 003209.011	101 06 003210.011	101 06 003211.011	○	White	Fixed Output
	101 06 003209.021	101 06 003210.021	101 06 003211.021	●	Black	Fixed Output
	101 06 003209.012	101 06 003210.012	101 06 003211.012	○	White	Phase DIM
	101 06 003209.022	101 06 003210.022	101 06 003211.022	●	Black	Phase DIM
	101 06 003209.013	101 06 003210.013	101 06 003211.013	○	White	DALI
	101 06 003209.023	101 06 003210.023	101 06 003211.023	●	Black	DALI
14W 2700°K	101 06 003212.011	101 06 003213.011	101 06 003214.011	○	White	Fixed Output
	101 06 003212.021	101 06 003213.021	101 06 003214.021	●	Black	Fixed Output
	101 06 003212.012	101 06 003213.012	101 06 003214.012	○	White	Phase DIM
	101 06 003212.022	101 06 003213.022	101 06 003214.022	●	Black	Phase DIM
	101 06 003212.013	101 06 003213.013	101 06 003214.013	○	White	DALI
	101 06 003212.023	101 06 003213.023	101 06 003214.023	●	Black	DALI
14W 3000°K	101 06 003215.011	101 06 003216.011	101 06 003217.011	○	White	Fixed Output
	101 06 003215.021	101 06 003216.021	101 06 003217.021	●	Black	Fixed Output
	101 06 003215.012	101 06 003216.012	101 06 003217.012	○	White	Phase DIM
	101 06 003215.022	101 06 003216.022	101 06 003217.022	●	Black	Phase DIM
	101 06 003215.013	101 06 003216.013	101 06 003217.013	○	White	DALI
	101 06 003215.023	101 06 003216.023	101 06 003217.023	●	Black	DALI
14W 4000°K	101 06 003218.011	101 06 003219.011	101 06 003220.011	○	White	Fixed Output
	101 06 003218.021	101 06 003219.021	101 06 003220.021	●	Black	Fixed Output
	101 06 003218.012	101 06 003219.012	101 06 003220.012	○	White	Phase DIM
	101 06 003218.022	101 06 003219.022	101 06 003220.022	●	Black	Phase DIM
	101 06 003218.013	101 06 003219.013	101 06 003220.013	○	White	DALI
	101 06 003218.023	101 06 003219.023	101 06 003220.023	●	Black	DALI

iilus.com