

Product Manual

Mono 060 Trimless Concrete Type 3



Mono 060 Trimless Concrete

Type 3





Recessed ceiling luminaire with trimless installation kit to deliver shadow line from fixture to concrete slab. Rotationally symmetrical medium, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with snoot detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	Fixed
Ingress Protection	IP44

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Mono 060 Trimless Concrete

Type 3

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	101 06 003300.011	101 06 003301.011	101 06 003302.011	○	White	Fixed Output
	101 06 003300.021	101 06 003301.021	101 06 003302.021	●	Black	Fixed Output
	101 06 003300.012	101 06 003301.012	101 06 003302.012	○	White	Phase DIM
	101 06 003300.022	101 06 003301.022	101 06 003302.022	●	Black	Phase DIM
	101 06 003300.013	101 06 003301.013	101 06 003302.013	○	White	DALI
	101 06 003300.023	101 06 003301.023	101 06 003302.023	●	Black	DALI
8W 3000°K	101 06 003303.011	101 06 003304.011	101 06 003305.011	○	White	Fixed Output
	101 06 003303.021	101 06 003304.021	101 06 003305.021	●	Black	Fixed Output
	101 06 003303.012	101 06 003304.012	101 06 003305.012	○	White	Phase DIM
	101 06 003303.022	101 06 003304.022	101 06 003305.022	●	Black	Phase DIM
	101 06 003303.013	101 06 003304.013	101 06 003305.013	○	White	DALI
	101 06 003303.023	101 06 003304.023	101 06 003305.023	●	Black	DALI
8W 4000°K	101 06 003306.011	101 06 003307.011	101 06 003308.011	○	White	Fixed Output
	101 06 003306.021	101 06 003307.021	101 06 003308.021	●	Black	Fixed Output
	101 06 003306.012	101 06 003307.012	101 06 003308.012	○	White	Phase DIM
	101 06 003306.022	101 06 003307.022	101 06 003308.022	●	Black	Phase DIM
	101 06 003306.013	101 06 003307.013	101 06 003308.013	○	White	DALI
	101 06 003306.023	101 06 003307.023	101 06 003308.023	●	Black	DALI
7W 2700-1800°K	101 06 003309.011	101 06 003310.011	101 06 003311.011	○	White	Fixed Output
	101 06 003309.021	101 06 003310.021	101 06 003311.021	●	Black	Fixed Output
	101 06 003309.012	101 06 003310.012	101 06 003311.012	○	White	Phase DIM
	101 06 003309.022	101 06 003310.022	101 06 003311.022	●	Black	Phase DIM
	101 06 003309.013	101 06 003310.013	101 06 003311.013	○	White	DALI
	101 06 003309.023	101 06 003310.023	101 06 003311.023	●	Black	DALI
14W 2700°K	101 06 003312.011	101 06 003313.011	101 06 003314.011	○	White	Fixed Output
	101 06 003312.021	101 06 003313.021	101 06 003314.021	●	Black	Fixed Output
	101 06 003312.012	101 06 003313.012	101 06 003314.012	○	White	Phase DIM
	101 06 003312.022	101 06 003313.022	101 06 003314.022	●	Black	Phase DIM
	101 06 003312.013	101 06 003313.013	101 06 003314.013	○	White	DALI
	101 06 003312.023	101 06 003313.023	101 06 003302.023	●	Black	DALI
14W 3000°K	101 06 003315.011	101 06 003316.011	101 06 003317.011	○	White	Fixed Output
	101 06 003315.021	101 06 003316.021	101 06 003317.021	●	Black	Fixed Output
	101 06 003315.012	101 06 003316.012	101 06 003317.012	○	White	Phase DIM
	101 06 003315.022	101 06 003316.022	101 06 003317.022	●	Black	Phase DIM
	101 06 003315.013	101 06 003316.013	101 06 003317.013	○	White	DALI
	101 06 003315.023	101 06 003316.023	101 06 003317.023	●	Black	DALI
14W 4000°K	101 06 003318.011	101 06 003319.011	101 06 003320.011	○	White	Fixed Output
	101 06 003318.021	101 06 003319.021	101 06 003320.021	●	Black	Fixed Output
	101 06 003318.012	101 06 003319.012	101 06 003320.012	○	White	Phase DIM
	101 06 003318.022	101 06 003319.022	101 06 003320.022	●	Black	Phase DIM
	101 06 003318.013	101 06 003319.013	101 06 003320.013	○	White	DALI
	101 06 003318.023	101 06 003319.023	101 06 003320.023	●	Black	DALI

iilus.com