

Product Manual


Mono 100 IP Recessed Downlighter Type 1



Mono 100 IP Type 1



Recessed ceiling luminaire with rotationally symmetrical spot, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with inset detail. Base material from Marine Grade Aluminium, Nano-Ceramic pre-treatment prior to powdercoating. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection. Optional spreader lens, linear spreader lens, diffuser lens, or hex louvre; factory fitted.




System

Power	14W / 19W / 27W
Input	220V-240V / 50-60Hz
Colour Temperature	2700°K / 3000°K / 4000°K
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<3 SCDM
Articulation	Fixed
Ingress Protection	IP65

14W	SP - 15°	FL - 30°	WFL - 60°
2700°K	956lm	1013lm	981lm
3000°K	953lm	942lm	1037lm
4000°K	1127lm	1095lm	1132lm
19W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1314lm	1300lm	1350lm
3000°K	1320lm	1300lm	1436lm
4000°K	1548lm	1508lm	1568lm
27W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1763lm	1750lm	1765lm
3000°K	1781lm	1770lm	1939lm
4000°K	2091lm	2029lm	2110lm







Model References

14W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001100.011	101 10 001101.011	101 10 001102.011	White	Fixed Output
	101 10 001100.211	101 10 001101.021	101 10 001102.021	Black	Fixed Output
	101 10 001100.012	101 10 001101.012	101 10 001102.012	White	Phase DIM
	101 10 001100.212	101 10 001101.022	101 10 001102.022	Black	Phase DIM
	101 10 001100.013	101 10 001101.013	101 10 001102.013	White	DALI
	101 10 001100.213	101 10 001101.023	101 10 001102.023	Black	DALI
	101 10 001100.015	101 10 001101.015	101 10 001102.015	White	Bluetooth
	101 10 001100.215	101 10 001101.025	101 10 001102.025	Black	Bluetooth
3000°K	101 10 001103.011	101 10 001104.011	101 10 001105.011	White	Fixed Output
	101 10 001103.211	101 10 001104.021	101 10 001105.021	Black	Fixed Output
	101 10 001103.012	101 10 001104.012	101 10 001105.012	White	Phase DIM
	101 10 001103.212	101 10 001104.022	101 10 001105.022	Black	Phase DIM
	101 10 001103.013	101 10 001104.013	101 10 001105.013	White	DALI
	101 10 001103.213	101 10 001104.023	101 10 001105.023	Black	DALI
	101 10 001103.015	101 10 001104.015	101 10 001105.015	White	Bluetooth
	101 10 001103.215	101 10 001104.025	101 10 001105.025	Black	Bluetooth
4000°K	101 10 001106.011	101 10 001107.011	101 10 001108.011	White	Fixed Output
	101 10 001106.211	101 10 001107.021	101 10 001108.021	Black	Fixed Output
	101 10 001106.012	101 10 001107.012	101 10 001108.012	White	Phase DIM
	101 10 001106.212	101 10 001107.022	101 10 001108.022	Black	Phase DIM
	101 10 001106.013	101 10 001107.013	101 10 001108.013	White	DALI
	101 10 001106.213	101 10 001107.023	101 10 001108.023	Black	DALI
	101 10 001106.015	101 10 001107.015	101 10 001108.015	White	Bluetooth
	101 10 001106.215	101 10 001107.025	101 10 001108.025	Black	Bluetooth

19W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001109.011	101 10 001110.011	101 10 001111.011	White	Fixed Output
	101 10 001109.211	101 10 001110.021	101 10 001111.021	Black	Fixed Output
	101 10 001109.012	101 10 001110.012	101 10 001111.012	White	Phase DIM
	101 10 001109.212	101 10 001110.022	101 10 001111.022	Black	Phase DIM
	101 10 001109.013	101 10 001110.013	101 10 001111.013	White	DALI
	101 10 001109.213	101 10 001110.023	101 10 001111.023	Black	DALI
	101 10 001109.015	101 10 001110.015	101 10 001111.015	White	Bluetooth
	101 10 001109.215	101 10 001110.025	101 10 001111.025	Black	Bluetooth
3000°K	101 10 001112.011	101 10 001113.011	101 10 001114.011	White	Fixed Output
	101 10 001112.211	101 10 001113.021	101 10 001114.021	Black	Fixed Output
	101 10 001112.012	101 10 001113.012	101 10 001114.012	White	Phase DIM
	101 10 001112.212	101 10 001113.022	101 10 001114.022	Black	Phase DIM
	101 10 001112.013	101 10 001113.013	101 10 001114.013	White	DALI
	101 10 001112.213	101 10 001113.023	101 10 001114.023	Black	DALI
	101 10 001112.015	101 10 001113.015	101 10 001114.015	White	Bluetooth
	101 10 001112.215	101 10 001113.025	101 10 001114.025	Black	Bluetooth
4000°K	101 10 001115.011	101 10 001116.011	101 10 001117.011	White	Fixed Output
	101 10 001115.211	101 10 001116.021	101 10 001117.021	Black	Fixed Output
	101 10 001115.012	101 10 001116.012	101 10 001117.012	White	Phase DIM
	101 10 001115.212	101 10 001116.022	101 10 001117.022	Black	Phase DIM
	101 10 001115.013	101 10 001116.013	101 10 001117.013	White	DALI
	101 10 001115.213	101 10 001116.023	101 10 001117.023	Black	DALI
	101 10 001115.015	101 10 001116.015	101 10 001117.015	White	Bluetooth
	101 10 001115.215	101 10 001116.025	101 10 001117.025	Black	Bluetooth

Model References

27W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001118.011	101 10 001119.011	101 10 001120.011	White	Fixed Output
	101 10 001118.211	101 10 001119.021	101 10 001120.021	Black	Fixed Output
	101 10 001118.012	101 10 001119.012	101 10 001120.012	White	Phase DIM
	101 10 001118.212	101 10 001119.022	101 10 001120.022	Black	Phase DIM
	101 10 001118.013	101 10 001119.013	101 10 001120.013	White	DALI
	101 10 001118.213	101 10 001119.023	101 10 001120.023	Black	DALI
	101 10 001118.015	101 10 001119.015	101 10 001120.015	White	Bluetooth
	101 10 001118.215	101 10 001119.025	101 10 001120.025	Black	Bluetooth
3000°K	101 10 001121.011	101 10 001122.011	101 10 001123.011	White	Fixed Output
	101 10 001121.211	101 10 001122.021	101 10 001123.021	Black	Fixed Output
	101 10 001121.012	101 10 001122.012	101 10 001123.012	White	Phase DIM
	101 10 001121.212	101 10 001122.022	101 10 001123.022	Black	Phase DIM
	101 10 001121.013	101 10 001122.013	101 10 001123.013	White	DALI
	101 10 001121.213	101 10 001122.023	101 10 001123.023	Black	DALI
	101 10 001121.015	101 10 001122.015	101 10 001123.015	White	Bluetooth
	101 10 001121.215	101 10 001122.025	101 10 001123.025	Black	Bluetooth
4000°K	101 10 001124.011	101 10 001125.011	101 10 001126.011	White	Fixed Output
	101 10 001124.211	101 10 001125.021	101 10 001126.021	Black	Fixed Output
	101 10 001124.012	101 10 001125.012	101 10 001126.012	White	Phase DIM
	101 10 001124.212	101 10 001125.022	101 10 001126.022	Black	Phase DIM
	101 10 001124.013	101 10 001125.013	101 10 001126.013	White	DALI
	101 10 001124.213	101 10 001125.023	101 10 001126.023	Black	DALI
	101 10 001124.015	101 10 001125.015	101 10 001126.015	White	Bluetooth
	101 10 001124.215	101 10 001125.025	101 10 001126.025	Black	Bluetooth

iilus.com