

Product Manual


Mono 100 IP Recessed Downlighter Type 2



Mono 100 IP Type 2



Recessed ceiling luminaire with rotationally symmetrical spot, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with expressed detail, anti-glare baffle. Base material from Marine Grade Aluminium, Nano-Ceramic pre-treatment prior to powdercoating. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection. Optional spreader lens, linear spreader lens, diffuser lens, or hex louvre; factory fitted.




System

Power	14W / 19W / 27W
Input	220V-240V / 50-60Hz
Colour Temperature	2700°K / 3000°K / 4000°K
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<3 SCDM
Articulation	Fixed
Ingress Protection	IP65

14W	SP - 15°	FL - 30°	WFL - 60°
2700°K	956lm	1013lm	981lm
3000°K	953lm	942lm	1037lm
4000°K	1127lm	1095lm	1132lm
19W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1314lm	1300lm	1350lm
3000°K	1320lm	1300lm	1436lm
4000°K	1548lm	1508lm	1568lm
27W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1763lm	1750lm	1765lm
3000°K	1781lm	1770lm	1939lm
4000°K	2091lm	2029lm	2110lm







Model References

14W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001200.011	101 10 001201.011	101 10 001202.011	White	Fixed Output
	101 10 001200.211	101 10 001201.021	101 10 001202.021	Black	Fixed Output
	101 10 001200.012	101 10 001201.012	101 10 001202.012	White	Phase DIM
	101 10 001200.212	101 10 001201.022	101 10 001202.022	Black	Phase DIM
	101 10 001200.013	101 10 001201.013	101 10 001202.013	White	DALI
	101 10 001200.213	101 10 001201.023	101 10 001202.023	Black	DALI
	101 10 001200.015	101 10 001201.015	101 10 001202.015	White	Bluetooth
	101 10 001200.215	101 10 001201.025	101 10 001202.025	Black	Bluetooth
3000°K	101 10 001203.011	101 10 001204.011	101 10 001205.011	White	Fixed Output
	101 10 001203.211	101 10 001204.021	101 10 001205.021	Black	Fixed Output
	101 10 001203.012	101 10 001204.012	101 10 001205.012	White	Phase DIM
	101 10 001203.212	101 10 001204.022	101 10 001205.022	Black	Phase DIM
	101 10 001203.013	101 10 001204.013	101 10 001205.013	White	DALI
	101 10 001203.213	101 10 001204.023	101 10 001205.023	Black	DALI
	101 10 001203.015	101 10 001204.015	101 10 001205.015	White	Bluetooth
	101 10 001203.215	101 10 001204.025	101 10 001205.025	Black	Bluetooth
4000°K	101 10 001206.011	101 10 001207.011	101 10 001208.011	White	Fixed Output
	101 10 001206.211	101 10 001207.021	101 10 001208.021	Black	Fixed Output
	101 10 001206.012	101 10 001207.012	101 10 001208.012	White	Phase DIM
	101 10 001206.212	101 10 001207.022	101 10 001208.022	Black	Phase DIM
	101 10 001206.013	101 10 001207.013	101 10 001208.013	White	DALI
	101 10 001206.213	101 10 001207.023	101 10 001208.023	Black	DALI
	101 10 001206.015	101 10 001207.015	101 10 001208.015	White	Bluetooth
	101 10 001206.215	101 10 001207.025	101 10 001208.025	Black	Bluetooth

19W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001209.011	101 10 001210.011	101 10 001211.011	White	Fixed Output
	101 10 001209.211	101 10 001210.021	101 10 001211.021	Black	Fixed Output
	101 10 001209.012	101 10 001210.012	101 10 001211.012	White	Phase DIM
	101 10 001209.212	101 10 001210.022	101 10 001211.022	Black	Phase DIM
	101 10 001209.013	101 10 001210.013	101 10 001211.013	White	DALI
	101 10 001209.213	101 10 001210.023	101 10 001211.023	Black	DALI
	101 10 001209.015	101 10 001210.015	101 10 001211.015	White	Bluetooth
	101 10 001209.215	101 10 001210.025	101 10 001211.025	Black	Bluetooth
3000°K	101 10 001212.011	101 10 001213.011	101 10 001214.011	White	Fixed Output
	101 10 001212.211	101 10 001213.021	101 10 001214.021	Black	Fixed Output
	101 10 001212.012	101 10 001213.012	101 10 001214.012	White	Phase DIM
	101 10 001212.212	101 10 001213.022	101 10 001214.022	Black	Phase DIM
	101 10 001212.013	101 10 001213.013	101 10 001214.013	White	DALI
	101 10 001212.213	101 10 001213.023	101 10 001214.023	Black	DALI
	101 10 001212.015	101 10 001213.015	101 10 001214.015	White	Bluetooth
	101 10 001212.215	101 10 001213.025	101 10 001214.025	Black	Bluetooth
4000°K	101 10 001215.011	101 10 001216.011	101 10 001217.011	White	Fixed Output
	101 10 001215.211	101 10 001216.021	101 10 001217.021	Black	Fixed Output
	101 10 001215.012	101 10 001216.012	101 10 001217.012	White	Phase DIM
	101 10 001215.212	101 10 001216.022	101 10 001217.022	Black	Phase DIM
	101 10 001215.013	101 10 001216.013	101 10 001217.013	White	DALI
	101 10 001215.213	101 10 001216.023	101 10 001217.023	Black	DALI
	101 10 001215.015	101 10 001216.015	101 10 001217.015	White	Bluetooth
	101 10 001215.215	101 10 001216.025	101 10 001217.025	Black	Bluetooth

27W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 001218.011	101 10 001219.011	101 10 001220.011	White	Fixed Output
	101 10 001218.211	101 10 001219.021	101 10 001220.021	Black	Fixed Output
	101 10 001218.012	101 10 001219.012	101 10 001220.012	White	Phase DIM
	101 10 001218.212	101 10 001219.022	101 10 001220.022	Black	Phase DIM
	101 10 001218.013	101 10 001219.013	101 10 001220.013	White	DALI
	101 10 001218.213	101 10 001219.023	101 10 001220.023	Black	DALI
	101 10 001218.015	101 10 001219.015	101 10 001220.015	White	Bluetooth
	101 10 001218.215	101 10 001219.025	101 10 001220.025	Black	Bluetooth
3000°K	101 10 001221.011	101 10 001222.011	101 10 001223.011	White	Fixed Output
	101 10 001221.211	101 10 001222.021	101 10 001223.021	Black	Fixed Output
	101 10 001221.012	101 10 001222.012	101 10 001223.012	White	Phase DIM
	101 10 001221.212	101 10 001222.022	101 10 001223.022	Black	Phase DIM
	101 10 001221.013	101 10 001222.013	101 10 001223.013	White	DALI
	101 10 001221.213	101 10 001222.023	101 10 001223.023	Black	DALI
	101 10 001221.015	101 10 001222.015	101 10 001223.015	White	Bluetooth
	101 10 001221.215	101 10 001222.025	101 10 001223.025	Black	Bluetooth
4000°K	101 10 001224.011	101 10 001225.011	101 10 001226.011	White	Fixed Output
	101 10 001224.211	101 10 001225.021	101 10 001226.021	Black	Fixed Output
	101 10 001224.012	101 10 001225.012	101 10 001226.012	White	Phase DIM
	101 10 001224.212	101 10 001225.022	101 10 001226.022	Black	Phase DIM
	101 10 001224.013	101 10 001225.013	101 10 001226.013	White	DALI
	101 10 001224.213	101 10 001225.023	101 10 001226.023	Black	DALI
	101 10 001224.015	101 10 001225.015	101 10 001226.015	White	Bluetooth
	101 10 001224.215	101 10 001225.025	101 10 001226.025	Black	Bluetooth

iilus.com