

Product Manual

Mono 100-150 Surface Downlighter Type 1




IILUS

Mono 100-150 Surface Type 1



Surface mounted ceiling luminaire with rotationally symmetrical spot, flood or wide flood optics, high colour reproduction, fixed orientation. High pressure die-cast powdercoated facade with inset detail. Remote driver. Active power factor correction, current regulation, voltage spike protection.



System

Power	14W / 19W / 27W
Input	220V-240V / 50-60Hz
Colour Temperature	2700°K / 3000°K / 4000°K
Lumen Maintenance	14W 19W L90 B10 50 000hr / 27W L80 B20 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SDCM
Articulation	Fixed
Ingress Protection	IP44
Control	Remote (Included)

14W	SP - 15°	FL - 30°	WFL - 60°
2700°K	956lm	1013lm	981lm
3000°K	953lm	942lm	1037lm
4000°K	1127lm	1095lm	1132lm

19W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1314lm	1300lm	1350lm
3000°K	1320lm	1300lm	1436lm
4000°K	1548lm	1508lm	1568lm

27W	SP - 15°	FL - 30°	WFL - 60°
2700°K	1763lm	1750lm	1765lm
3000°K	1781lm	1770lm	1939lm
4000°K	2091lm	2029lm	2110lm







Model References

14W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 102100.011	101 10 102101.011	101 10 102102.011	White	Fixed Output
	101 10 102100.011	101 10 102101.021	101 10 102102.021	Black	Fixed Output
	101 10 102100.012	101 10 102101.012	101 10 102102.012	White	Phase DIM
	101 10 102100.012	101 10 102101.022	101 10 102102.022	Black	Phase DIM
	101 10 102100.013	101 10 102101.013	101 10 102102.013	White	DALI
	101 10 102100.013	101 10 102101.023	101 10 102102.023	Black	DALI
	101 10 102100.015	101 10 102101.015	101 10 102102.015	White	Bluetooth
	101 10 102100.015	101 10 102101.025	101 10 102102.025	Black	Bluetooth
3000°K	101 10 102103.011	101 10 102104.011	101 10 102105.011	White	Fixed Output
	101 10 102103.011	101 10 102104.021	101 10 102105.021	Black	Fixed Output
	101 10 102103.012	101 10 102104.012	101 10 102105.012	White	Phase DIM
	101 10 102103.012	101 10 102104.022	101 10 102105.022	Black	Phase DIM
	101 10 102103.013	101 10 102104.013	101 10 102105.013	White	DALI
	101 10 102103.013	101 10 102104.023	101 10 102105.023	Black	DALI
	101 10 102103.015	101 10 102104.015	101 10 102105.015	White	Bluetooth
	101 10 102103.015	101 10 102104.025	101 10 102105.025	Black	Bluetooth
4000°K	101 10 102106.011	101 10 102107.011	101 10 102108.011	White	Fixed Output
	101 10 102106.011	101 10 102107.021	101 10 102108.021	Black	Fixed Output
	101 10 102106.012	101 10 102107.012	101 10 102108.012	White	Phase DIM
	101 10 102106.012	101 10 102107.022	101 10 102108.022	Black	Phase DIM
	101 10 102106.013	101 10 102107.013	101 10 102108.013	White	DALI
	101 10 102106.013	101 10 102107.023	101 10 102108.023	Black	DALI
	101 10 102106.015	101 10 102107.015	101 10 102108.015	White	Bluetooth
	101 10 102106.015	101 10 102107.025	101 10 102108.025	Black	Bluetooth

19W	FL - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 102109.011	101 10 102110.011	101 10 102111.011	White	Fixed Output
	101 10 102109.011	101 10 102110.021	101 10 102111.021	Black	Fixed Output
	101 10 102109.012	101 10 102110.012	101 10 102111.012	White	Phase DIM
	101 10 102109.012	101 10 102110.022	101 10 102111.022	Black	Phase DIM
	101 10 102109.013	101 10 102110.013	101 10 102111.013	White	DALI
	101 10 102109.013	101 10 102110.023	101 10 102111.023	Black	DALI
	101 10 102109.015	101 10 102110.015	101 10 102111.015	White	Bluetooth
	101 10 102109.015	101 10 102110.025	101 10 102111.025	Black	Bluetooth
3000°K	101 10 102112.011	101 10 102113.011	101 10 102114.011	White	Fixed Output
	101 10 102112.011	101 10 102113.021	101 10 102114.021	Black	Fixed Output
	101 10 102112.012	101 10 102113.012	101 10 102114.012	White	Phase DIM
	101 10 102112.012	101 10 102113.022	101 10 102114.022	Black	Phase DIM
	101 10 102112.013	101 10 102113.013	101 10 102114.013	White	DALI
	101 10 102112.013	101 10 102113.023	101 10 102114.023	Black	DALI
	101 10 102112.015	101 10 102113.015	101 10 102114.015	White	Bluetooth
	101 10 102112.015	101 10 102113.025	101 10 102114.025	Black	Bluetooth
4000°K	101 10 102115.011	101 10 102116.011	101 10 102117.011	White	Fixed Output
	101 10 102115.011	101 10 102116.021	101 10 102117.021	Black	Fixed Output
	101 10 102115.012	101 10 102116.012	101 10 102117.012	White	Phase DIM
	101 10 102115.012	101 10 102116.022	101 10 102117.022	Black	Phase DIM
	101 10 102115.013	101 10 102116.013	101 10 102117.013	White	DALI
	101 10 102115.013	101 10 102116.023	101 10 102117.023	Black	DALI
	101 10 102115.015	101 10 102116.015	101 10 102117.015	White	Bluetooth
	101 10 102115.015	101 10 102116.025	101 10 102117.025	Black	Bluetooth

Model References

27W	SP - 15°	FL - 30°	WFL - 60°		
2700°K	101 10 102118.011	101 10 102119.011	101 10 102120.011	White	Fixed Output
	101 10 102118.011	101 10 102119.021	101 10 102120.021	Black	Fixed Output
	101 10 102118.012	101 10 102119.012	101 10 102120.011	White	Phase DIM
	101 10 102118.012	101 10 102119.022	101 10 102120.021	Black	Phase DIM
	101 10 102118.013	101 10 102119.013	101 10 102120.013	White	DALI
	101 10 102118.013	101 10 102119.023	101 10 102120.023	Black	DALI
	101 10 102118.015	101 10 102119.015	101 10 102120.015	White	Bluetooth
	101 10 102118.015	101 10 102119.025	101 10 102120.025	Black	Bluetooth
3000°K	101 10 102121.011	101 10 102122.011	101 10 102123.011	White	Fixed Output
	101 10 102121.011	101 10 102122.021	101 10 102123.021	Black	Fixed Output
	101 10 102118.012	101 10 102119.012	101 10 102120.012	White	Phase DIM
	101 10 102118.012	101 10 102119.022	101 10 102120.022	Black	Phase DIM
	101 10 102121.013	101 10 102122.013	101 10 102123.013	White	DALI
	101 10 102121.013	101 10 102122.023	101 10 102123.023	Black	DALI
	101 10 102121.015	101 10 102122.015	101 10 102123.015	White	Bluetooth
	101 10 102121.015	101 10 102122.025	101 10 102123.025	Black	Bluetooth
4000°K	101 10 102124.011	101 10 102125.011	101 10 102126.011	White	Fixed Output
	101 10 102124.011	101 10 102125.021	101 10 102126.021	Black	Fixed Output
	101 10 102124.012	101 10 102125.012	101 10 102126.012	White	Phase DIM
	101 10 102124.012	101 10 102125.022	101 10 102126.022	Black	Phase DIM
	101 10 102124.013	101 10 102125.013	101 10 102126.013	White	DALI
	101 10 102124.013	101 10 102125.023	101 10 102126.023	Black	DALI
	101 10 102124.015	101 10 102125.015	101 10 102126.015	White	Bluetooth
	101 10 102124.015	101 10 102125.025	101 10 102126.025	Black	Bluetooth

iilus.com