

Product Manual


Avenir 060 Floor Washer Type 1



Avenir 060 Floor Washer Type 1





Avenir is designed for the illumination of circulation areas, as a semi-recessed wall luminaire for interior applications and wall or floor luminaire in external environments. Axially Symmetrical diffused optics, IP67.



System

	Power	3W	
	Input	24V-DC	
	Colour Temperature	2700°K / 3000°K	
	Optic	Axially Symmetrical	
	CRI	Ra80	
	Chromacity	<3 SCDM	
	Articulation	Fixed	
	Cut-Out	52mm Round x 80mm Depth	
	Ingress Protection	IP67	
2700°K	103 06 500100.010	White	Not Included
	103 06 500100.020	Black	Not Included
	103 06 500100.011	White	Fixed Output (Included)
	103 06 500100.021	Black	Fixed Output (Included)
	103 06 500100.012	White	Phase DIM (Included)
	103 06 500100.022	Black	Phase DIM (Included)
	103 06 500100.013	White	DALI (Included)
	103 06 500100.023	Black	DALI (Included)
	3000°K	103 06 500101.010	White
103 06 500101.020		Black	Not Included
103 06 500101.011		White	Fixed Output (Included)
103 06 500101.021		Black	Fixed Output (Included)
103 06 500101.012		White	Phase DIM (Included)
103 06 500101.022		Black	Phase DIM (Included)
103 06 500101.013		White	DALI (Included)
103 06 500101.023		Black	DALI (Included)







iilus.com