

Product Manual

Avenir 060 Floor Washer Type 3




Avenir 060 Floor Washer

Type 3



Avenir is designed for the illumination of circulation areas, as a semi-recessed wall luminaire for interior applications and wall or floor luminaire in external environments. Axially Symmetrical diffused optics, IP67.



System

	Power	3W	
	Input	24V-DC	
	Colour Temperature	2700°K / 3000°K	
	Optic	Axially Symmetrical	
	CRI	Ra80	
	Chromacity	<3 SCDM	
	Articulation	Fixed	
	Cut-Out	52mm Round x 80mm Depth	
	Ingress Protection	IP67	
2700°K	103 06 500300.010	White	Not Included
	103 06 500300.020	Black	Not Included
	103 06 500300.011	White	Fixed Output (Included)
	103 06 500300.021	Black	Fixed Output (Included)
	103 06 500300.012	White	Phase DIM (Included)
	103 06 500300.022	Black	Phase DIM (Included)
	103 06 500300.013	White	DALI (Included)
	103 06 500300.023	Black	DALI (Included)
	3000°K	103 06 500301.010	White
103 06 500301.020		Black	Not Included
103 06 500301.011		White	Fixed Output (Included)
103 06 500301.021		Black	Fixed Output (Included)
103 06 500301.012		White	Phase DIM (Included)
103 06 500301.022		Black	Phase DIM (Included)
103 06 500301.013		White	DALI (Included)
103 06 500301.023		Black	DALI (Included)







iilus.com